



Warms up your life.

n 2.2018 B

Wood Line
Pellet Line

Price List

Wood Products and Thermo Products
Pellet Products and Thermo Products

RECOMMENDED RETAIL PRICE WITHOUT VAT

L3

Stoves, Ranges, Fireplaces,
Thermo products, Boilers,
Frames and Accessories

EN

Wood stoves

Dual-Fuel Series	Page	1
Slim Series	Page	1
Design Top Series	Page	3
Carillon Series	Page	5
Enamelled cast-iron series.....	Page	5
Harmony Series	Page	7
Rossella Series	Page	11
Fulvia Series.....	Page	12
Dorella Series	Page	12
Gemma Series	Page	12
Bruciatutto Series	Page	13

Cookers Range Series

Wood burning cooker series	Page	14
----------------------------------	------	----

Wood fireplaces

Cast-iron inserts series.....	Page	19
Glass inserts series	Page	20
Built-in fireplace series.....	Page	22
Monoblock series.....	Page	23

Wood Thermo products

Thermo Stoves series.....	Page	25
Thermo Kitchen series.....	Page	27
Hydro Fireplace series	Page	30
HV Boilers series.....	Page	31

Frames

Frames.....	Page	32
-------------	------	----

Pellet Stoves

Pellet stove series	Page	35
---------------------------	------	----

Pellet fireplace stoves

Pellet fireplace stove series	Page	41
-------------------------------------	------	----

Pellet Inserts

Pellet Insert series.....	Page	41
---------------------------	------	----

Pellet Thermo Stove series

Pellet Thermo Stove series.....	Page	43
Pellet burning hydro fireplaces.....	Page	45
Pellet Boiler series	Page	46

Wood burning accessories

Wood burning accessories.....	Page	47
-------------------------------	------	----

Pellet burning accessories

Pellet burning accessories.....	Page	56
---------------------------------	------	----

General sales conditions

General sales conditions.....	Page	60
-------------------------------	------	----

Legend

Technical data key	Page	60
--------------------------	------	----

Certifications

Certifications	Page	61
----------------------	------	----

Dual-Fuel Series

Model / Plus		Technical data		Colour	Description	Code	Price	
Cleo Combi - Vogue*								
	• Natural draught stove operating with wood or pellet • External facing in majolica • Internal facing of the hearth in Nordiker with postcombustion • Extractable ash drawer • Nordiker hearth • Ceramic glass heat-resistant 750° C		Wood	Pellet	 AM	Amethyst	8112069	€ 3.893,00
		kW-M	8,1	7,4				
		kW-N	6,4	6				
		m³	183	172				
		%	79,2	81				
		Capienza kg	-	~20				
		kg/h	1,8	1,5				
		Ø mm	150 S					
		Dim. L-H-P	679x1335x664					
		kg	235					

A

Slim Series

Model / Plus		Technical data			Code	Price
Plasma 80:26						
	• 26 cm depth • Extractable ash drawer • Hearth in cast-iron and Nordiker • Ceramic glass heat-resistant 750° C • Right/left door opening • Inclusive of aesthetically designed casing • Excluding surround kit	kW-M	7,7		7113600	€ 1.545,00
		kW-N	6,0			
		m³	172			
		%	78,4			
		kg/h	1,8			
		Ø mm	130 S			
		Dim. L-H-P	800x555x310*			
		kg	112			
		* Frames Kit Excluded				

A

PLASMA 80:26 CAN BE COMBINED WITH THE FRAMES SERIES:

Kit Cornice Maiolica Origami Bianco

	Dimensions	Surrounding in Infinity White uneven majolica finish.	6016884	€ 721,00
	External (mm): 1045x800			
	Internal (mm) 800x550			
	Thickness (mm) 55			

Note: prices are valid just for the models available in stock

* While stocks last

Slim Series

Model / Technical data	Description	Code	Price
------------------------	-------------	------	-------

PLASMA 80:26 CAN BE COMBINED WITH THE FRAMES SERIES:

Kit Cornice Wendy

	Dimensions	Side elements in burgundy majolica, central elements in black glass.	6016890	€ 603,00
	External (mm): 1250x725			
	Internal (mm) 800x525			
	Thickness (mm) 60			

Kit Cornice Crystal*

	Dimensions	Black glass surround	6016891	€ 568,00
	External (mm): 1250x725			
	Internal (mm) 800x525			
	Thickness (mm) 40			

Kit Cornice Oro Craquelé

	Dimensions	Fine gold craquelure majolica surround.	6016887	€ 721,00
	External (mm): 1045x800			
	Internal (mm) 800X550			
	Thickness (mm) 60			

Kit Cornice Madreperla

	Dimensions	Fine mother-of-pearl majolica surround.	6016883	€ 721,00
	External (mm): 1045X800			
	Internal (mm) 800X550			
	Thickness (mm) 60			

Note: prices are valid just for the models available in stock

* While stocks last

Design Top Series

Model / Plus	Technical data	Colour	Description	Code	Price		
Astrid A							
	• Top in natural thick stone • Extractable ash drawer • Hearth in cast-iron and Nordiker • Ceramic glass heat-resistant 750° C • Door in cast iron • Side loading door • Front and side view of the fire • The product can be transformed by simply placing the glass side on the right during the installation phase.	kW-M	11,8	 PT	Natural Stone	7113900	€ 2.571,00
	kW-N	9,2					
	m³	264					
	%	78					
	kg/h	2,7					
	Ø mm	160 S					
	Dim. L-H-P	758x984x550					
	kg	214					
Flò A+							
	• External facing in majolica • Extractable ash drawer • Internal facing of the hearth in cast iron and Nordiker with post combustion • Door and grille in cast iron • Vertical flame hearth • Room ventilation	kW-M	9,8	 BIN	White Infinity	7114500	€ 2.309,00
	kW-N	8,3					
	m³	238					
	%	85,01					
	kg/h	2,3	 BO	Bordeaux	7114510	€ 2.309,00	
	Ø mm	150 S					
	Dim. L-H-P	678x1200x560					
	kg	194					
Wanda Evo (With ducting system) A+							
	• Canalizing Stove • External facing in majolica • Hearth in cast iron with post combustion system • Vertical flame hearth • Remote control ventilation	kW-M	10,0	 BIN	White Infinity	7117010	€ 2.780,00
	kW-N	8,5					
	m³	243					
	%	85					
	kg/h	2,3					
	Ø mm	160 S					
	Dim. L-H-P	716x1338x532					
	kg	216					
Wanda Classic Evo (With ducting system) A+							
	• Canalizing Stove • External facing in majolica • Hearth in cast iron with post combustion system • Vertical flame hearth • Remote control ventilation	kW-M	10,0	 BIN	White Infinity	7117014	€ 2.999,00
	kW-N	8,5					
	m³	243					
	%	85					
	kg/h	2,3	 BO	Bordeaux	7117015	€ 2.999,00	
	Ø mm	160 S					
	Dim. L-H-P	804x1270x530					
	kg	228					

Design Top Series

Model / Plus	Technical data	Colour	Description	Code	Price		
Fortuna Bifacciale A							
	• Front and rear view of the fire • External facing in majolica • Curved cast iron firedoor • Internal facing of the hearth in cast iron and Nordiker with post combustion • Vertical flame hearth	kW-M	10,0	 BIN	White Infinity	7116843	€ 3.106,00
	kW-N	8					
	m³	229					
	%	80,4					
	kg/h	2	 BO	Bordeaux	7116840	€ 3.106,00	
	Ø mm	150 S					
	Dim. L-H-P	526x1267x505					
	kg	178					

Fortuna Steel A							
	- Painted steel external facing - Curved cast iron firedoor - Internal facing of the hearth in cast iron and Nordiker with post combustion - Vertical flame hearth	**kW-M**	8,7	**NE**	Anthracite Black	7116854	€ 2.650,00
kW-N	7,0						
m³	200						
%	80,4						
kg/h	2,0						
Ø mm	150 S						
Dim. L-H-P	524x1169x505						
kg	158						
Helga Evo A+							
	- External facing in majolica - Curved cast iron firedoor - Internal facing of the hearth in cast iron and Nordiker with post combustion - Vertical flame hearth - Base and top in enamelled cast iron	**kW-M**	8,5	**TI**	Titanio	7117867	€ 2.040,00
kW-N	7,3						
m³	209						
%	86,8						
kg/h	2,0	**BO**	Bordeaux	7117860	€ 2.040,00		
Ø mm	130 S						
Dim. L-H-P	524x1122x509						
kg	165						
Helga Evo - Pietra A+							
	- External facing in natural stone - Curved cast iron firedoor - Internal facing of the hearth in cast iron and Nordiker with post combustion - Vertical flame hearth - Base and top in enamelled cast iron	**kW-M**	8,5	**PT**	Natural Stone	7117862	€ 2.220,00
kW-N	7,3						
m³	209						
%	86,8						
kg/h	2,0						
Ø mm	130 S						
Dim. L-H-P	524x1122x509						
kg	183						

Design Top Series

Model / Plus		Technical data		Colour	Description	Code	Price
Zen A⁺							
	• Angular door in cast iron • Angular stove • External facing in natural stone • Hearth in Nordiker with postcombustion • Vertical flame hearth	kW-M	9,2	 PT	Natural Stone	7116072	€ 3.707,00
		kW-N	7,5				
		m³	215				
		%	81,6				
		kg/h	2,1				
		Ø mm	130 S				
		Dim. L-H-P	425x1300x460				
		kg	199				

Carillon Series

Fortuna A							
	• Hand enameled external majolica facing • Axial base and bodyrotation • Curved cast iron fire door • Internal facing of the hearth in cast iron and Nordiker with postcombustion • Vertical flame hearth	kW-M	8,7	 BIN	White Infinity	7116823	€ 2.588,00
		kW-N	7				
		m³	200				
		%	80,4				
		kg/h	2	 BO	Bordeaux	7116820	€ 2.588,00
		Ø mm	150 S				
		Dim. L-H-P	526x1267x505				
		kg	184				



Fortuna Panorama

Fortuna Panorama A							
	• Hand enameled external majolica facing • Axial base and bodyrotation • Curved cast iron fire door and side ceramic glasses • Internal facing of the hearth in cast iron and Nordiker with postcombustion • Vertical flame hearth	kW-M	8,7	 BIN	White Infinity	7116833	€ 2.848,00
		kW-N	7				
		m³	200				
		%	80,4				
		kg/h	2	 BO	Bordeaux	7116830	€ 2.848,00
		Ø mm	150 S				
		Dim. L-H-P	526x1267x505				
		kg	176				

Enamelled Cast-Iron Series

Giulietta X A⁺							
	• Stove completely of cast-iron • Front loading door • Very high thermic yield cast-iron • Hearth in cast-iron with postcombustion • Ceramic glass resistant up to 750° C	kW-M	8,2			7119200	€ 1.084,00
		kW-N	6,6				
		m³	189				
		%	81				
		kg/h	1,9				
		Ø mm	120 S/P				
		Dim. L-H-P	487x706x430				
		kg	117				

Enamelled Cast-Iron Series

Model / Plus	Technical data	Colour	Description	Code	Price	
Isetta con cerchi Evo A+						
	• Stove completely of cast-iron • Front and side loading door • Very high thermic yield cast-iron • Plate of polished cast-iron • Hearth in cast-iron with postcombustion • Ceramic glass resistant up to 750° C	kW-M	9,4		7119011	€ 1.630,00
	kW-N	7,7				
	m³	221				
	%	82				
	kg/h	2,2				
	Ø mm	150 S/P				
	Dim. L-H-P	600x760x590				
	kg	164				
Isetta Evo A+						
	• Stove completely of cast-iron • Front and side loading door • Very high thermic yield cast-iron • Hearth in cast-iron with postcombustion • Ceramic glass resistant up to 750° C	kW-M	9,4		7119001	€ 1.374,00
	kW-N	7,7				
	m³	221				
	%	82				
	kg/h	2,2				
	Ø mm	150 S/P				
	Dim. L-H-P	660x706x590				
	kg	154				
Isotta con cerchi Evo A+						
	• Stove completely of cast-iron • Front and side loading door • Very high thermic yield cast-iron • Plate of polished cast-iron • Hearth in cast-iron with postcombustion • Ceramic glass resistant up to 750° C	kW-M	14,5		7119111	€ 1.873,00
	kW-N	11,9				
	m³	338				
	%	82				
	kg/h	3,2				
	Ø mm	150 S/P				
	Dim. L-H-P	790x830x660				
	kg	216				
Isotta Evo A+						
	• Stove completely of cast-iron • Front and side loading door • Very high thermic yield cast-iron • Hearth in cast iron with post combustion system. • Ceramic glass resistant up to 750° C	kW-M	14,5		7119101	€ 1.668,00
	kW-N	11,9				
	m³	338				
	%	82				
	kg/h	3,2				
	Ø mm	150 S/P				
	Dim. L-H-P	790x775x660				
	kg	205				

Enamelled Cast-Iron Series

Model / Plus		Technical data			Code	Price
Isotta Forno						
	• Stove completely of cast-iron • Front and side loading door • Very high thermic yield cast-iron • 39l panoramic enamelled oven with lava stone interior • Hearth in cast-iron with postcombustion • Ceramic glass resistant up to 750° C • Chromed oven rack	kW-M	13,8		7119103	€ 3.243,00
		kW-N	11,5			
		m³	330			
		%	83,1			
		kg/h	3,2			
		Ø mm	150 S			
		Dim. L-H-P	795x1244x530			
		kg	296			
Jennifer						
New 2018 	• Entirely cast iron enameled Stove • Logs up to 50 cm • Firebox made of cast iron and Nordiker with post-combustion system • Front extractable ash drawer • intake air from the outside	kW-M	10,2**		7119600	€ 1.380,00
		kW-N	8,0**			
		m³	229**			
		%	78,1**			
		kg/h	2,4**			
		Ø mm	150 S**			
		Dim. L-H-P	703x870x420**			
		kg	135**			
Candy						
	• Stove completely of cast-iron • Very high thermic yield cast-iron • Hearth in cast-iron with postcombustion • Ceramic glass resistant up to 750° C	kW-M	8,7		7119300	€ 840,00
		kW-N	7,2			
		m³	206			
		%	82,6			
		kg/h	2,0			
		Ø mm	120 S			
		Dim. L-H-P	404x890x397			
		kg	85			
Brigitta						
	• Stove completely of cast-iron • Very high thermic yield cast-iron • Hearth in cast-iron with postcombustion • Ceramic glass resistant up to 750° C	kW-M	7,1		7119400	€ 710,00
		kW-N	5,7			
		m³	163			
		%	80			
		kg/h	1,7			
		Ø mm	120 S			
		Dim. L-H-P	404x640x397			
		kg	72			

Harmony Series

Model / Plus	Technical data	Colour	Description	Code	Price		
Stefany Forno BII							
	• Hearth in cast-iron with postcombustion	kW-M	12,5	 BO	Bordeaux	7113430	€ 2.756,00
	• Wood-holder	kW-N	10,6				
	• External facing in natural stone or majolica	m³	303				
	• Vertical flame hearth	%	85,1	 PE	Parchment	7113438	€ 2.756,00
	• Extractable enameled oven 24 l	kg/h	2,9				
	• Ceramic glass resistant up to 750° C	Ø mm	150 S/P				
		Dim. L-H-P	660x1300x586	 PT	Natural Stone	7113432	€ 2.870,00
		kg	239 Majolica 371 Nat. Stone				

Svezia New BII				A ⁺			
	•Hearth in cast-iron with postcombustion •External facing in steel and majolica or natural stone •Enamelled steel dome •Wood-holder •Doors of cast-iron •Vertical flame hearth •Food warmer •Ceramic glass resistant up to 750° C	kW-M	12,5	 BO	Bordeaux	7113210	€ 1.928,00
		kW-N	10,6				
		m³	303				
		%	85,1				
		kg/h	2,9	 PT	Natural Stone	7113212	€ 1.928,00
		Ø mm	150 S/P				
		Dim. L-H-P	607x1254x554				
		kg	203 Nat. Stone 191 Bordeaux				

Norvegia New BII				A ⁺			
	• Hearth in cast-iron with postcombustion • External facing in steel • Enamelled steel dome • Wood-holder • Doors of cast-iron • Vertical flame hearth • Food warmer • Ceramic glass resistant up to 750° C	kW-M	12,5		Anthracite Black	7113310	€ 1.770,00
		kW-N	10,6				
		m³	303				
		%	85,1				
		kg/h	2,9				
		Ø mm	150 S/P				
		Dim. L-H-P	599x1254x554				
		kg	188				

Luna BII				A			
	• Hearth in cast-iron with postcombustion • External facing in majolica • Enameled cast-iron door • Food warmer • Ceramic glass resistant up to 750° C	kW-M	11,0	 PE	Parchment	7116508	€ 1.777,00
		kW-N	8,8				
		m³	252				
		%	80				
		kg/h	2,4				
		Ø mm	130 S				
		Dim. L-H-P	540X1169X564				
		kg	194				

Fedora

A⁺



- External facing in majolica
- Hearth in cast iron with post combustion system
- Enameled cast iron top, door and base
- Ceramic glass resistant up to 750° C

kW-M	9,6	 BO	Bordeaux	7112700	€ 1.628,00
kW-N	8,3				
m³	238				
%	86,4				
kg/h	2,25	 BIN	White Infinity	7112703	€ 1.628,00
Ø mm	130 S				
Dim. L-H-P	559x1035x547				
kg	175				

Harmony Series

Model / Plus	Technical data	Colour	Description	Code	Price
Fiammetta BII* A+					
	• Hearth in cast-iron with postcombustion	 BO	Bordeaux*	7116600	€ 1.139,00
	• External facing in steel and majolica				
	• Enameled cast-iron door				
	• Wood-holder				
	• Ceramic glass resistant up to 750° C	 PE	Parchment*	7116608	€ 1.139,00
	kW-M				7,4
	kW-N				6
	m³				172
	%				81,3
	kg/h				1,7
	Ø mm				120 S
	Dim. L-H-P				483x941x472
	kg				109

Gisella A					
	• Hearth in cast-iron with postcombustion	 BO	Bordeaux	7116640	€ 1.558,00
	• External facing in steel and majolica				
	• Cast iron door				
	• Plate of polished cast-iron				
	• Wood-holder	 BIN	White Infinity	7116650	€ 1.558,00
	• Ceramic glass resistant up to 750° C				
	kW-M				10,2
	kW-N				8
	m³				229
	%				78,1
	kg/h				2,4
	Ø mm				130 S
	Dim. L-H-P				570x950x560
	kg				135

Fiorella BII* A+					
	• Hearth in cast-iron with postcombustion	 PE	Parchment	7116668	€ 1.115,00
	• External facing in steel and majolica				
	• Enameled cast-iron door				
	• Wood-holder				
	• Ceramic glass resistant up to 750° C				
	kW-M				7,4
	kW-N				6
	m³				172
	%				81,3
	kg/h				1,7
	Ø mm				120 S
	Dim. L-H-P				424x930x473
	kg				103

Asia BII A+					
	• Hearth in cast-iron with postcombustion	 PT	Natural Stone	7116652	€ 1.176,00
	• External facing in steel and majolica				
	• Enameled cast-iron door				
	• Wood-holder				
	• Ceramic glass resistant up to 750° C				
	kW-M				7,4
	kW-N				6
	m³				172
	%				81,3
	kg/h				1,7
	Ø mm				120 S
	Dim. L-H-P				438x930x470
	kg				159

Ester BII A					
	• External facing in natural stone	 PT	Natural Stone	7116632	€ 1.699,00
	• Cast iron door				
	• Internal facing of the hearth in cast iron and Nordiker with postcombustion				
	• Fire grate adjustment				
	• Internal ash drawer				
	• Option of taking combustion air outside				
	• Ceramic glass resistant up to 750° C				
	kW-M				9,4
	kW-N				7,5
	m³				215
	%				80
	kg/h				2,2
	Ø mm				130 S
	Dim. L-H-P				540x950x478
	kg				243

Harmony Series

Model / Plus	Technical data	Colour	Description	Code	Price	
Ester Forno Evo						
 • External facing in natural stone • Cast iron door • Hearth in cast-iron and Nordiker with postcombustion • Internal ash drawer • Porcelain enamelled steel oven 22 l • Ceramic glass resistant up to 750° C	kW-M	9,5	 PT	Natural Stone	7116733	€ 2.774,00
	kW-N	8,2				
	m³	235				
	%	86,7				
	kg/h	2,2				
	Ø mm	130 S				
	Dim. L-H-P	540x1300x478				
	kg	317				

Rossella Series

Rossella R1 BII A						
 • Hearth in cast-iron with postcombustion • External facing in natural stone or majolica • Doors and top-plate in enameled cast-iron • Ceramic glass resistant up to 750° C	kW-M	11	 BO	Liberty Bordeaux	7112150	€ 1.453,00
	kW-N	8,8				
	m³	252	 PE	Liberty Parchment	7112158	€ 1.453,00
	%	80				
	kg/h	2,4	 BIN	Liberty White Infinity	7112157	€ 1.453,00
	Ø mm	130 S				
	Dim. L-H-P	578x915x586	 PT	Natural Stone	7112152	€ 1.453,00
	kg	155 Liberty 170 Nat. Stone				

Rossella Plus A⁺						
 • Hearth in cast-iron with postcombustion • External facing in natural stone or majolica • Doors and top-plate in enameled cast-iron • Ceramic glass resistant up to 750° C • Extractable wood drawer	kW-M	9,9	 BO	Liberty Bordeaux	7112260	€ 1.529,00
	kW-N	8				
	m³	229	 PE	Liberty Parchment	7112268	€ 1.529,00
	%	80,9				
	kg/h	2,3	 PT	Natural Stone	7112262	€ 1.529,00
	Ø mm	130 S				
	Dim. L-H-P	559x915x536				
	kg	137 Liberty 156 Nat. Stone				

Rossella Plus Forno Evo A⁺						
 • Hearth in cast-iron with postcombustion • External facing in natural stone or majolica • Doors and top-plate in enameled cast-iron • Internal ash drawer • Enameled oven 37 l • Ceramic glass resistant up to 750° C	kW-M	10,6	 BO	Liberty Bordeaux	7112380	€ 2.526,00
	kW-N	9,1				
	m³	260	 PE	Liberty Parchment	7112384	€ 2.526,00
	%	86				
	kg/h	2,4	 PT	Natural Stone	7112388	€ 2.526,00
	Ø mm	130 S				
	Dim. L-H-P	559x1359x536				
	kg	195 Liberty 219 Nat. Stone				

Fulvia Series

Model / Plus		Technical data		Colour	Description	Code	Price
Fulvia A+							
 • Hearth in cast-iron • External facing in natural stone or majolica • Doors and top-plate in enameled cast-iron • Ceramic glass resistant up to 750° C	kW-M	7,3	 BO	Liberty Bordeaux	7111450	€ 1.118,00	
	kW-N	6					
	m³	172					
	%	82	 PE	Liberty Parchment	7111458	€ 1.118,00	
	kg/h	1,7					
	Ø mm	120 S					
	Dim. L-H-P	488x862x477		 PT	Natural Stone	7111452	€ 1.118,00
	kg	109 Liberty 119 Nat. Stone					

Fulvia Forno							A ⁺
 • Hearth in cast-iron • External facing in natural stone or majolica • Doors and top-plate in cast-iron • Enameled oven 19 l • Ceramic glass resistant up to 750° C	kW-M	7,3	 BO	Liberty Bordeaux	7111590	€ 1.651,00	
	kW-N	6					
	m³	172					
	%	82	 PE	Liberty Parchment	7111598	€ 1.651,00	
	kg/h	1,7					
	Ø mm	120 S					
	Dim. L-H-P	488x1288x477	 PT	Natural Stone	7111592	€ 1.651,00	
	kg	155 Liberty 173 Nat. Stone					

Dorella Series

Dorella L8 X



- Hearth in cast-iron
- External facing in natural stone or majolica
- Doors and top-plate in enameled cast-iron
- Ceramic glass resistant up to 750° C

kW-M	8,8	 PE	Liberty Parchment	1111458	€ 865,00
kW-N	6,8				
m³	195				
%	77	 BO	Liberty Bordeaux	1111450	€ 865,00
kg/h	2,1				
Ø mm	120 S				
Dim. L-H-P	465x845x491	 PT	Natural Stone	1111452	€ 865,00
kg	90 Liberty 102 Nat. Stone				

Gemma Series

Gemma

A⁺



- Hearth in cast-iron
- External facing in natural stone or majolica
- Doors and top-plate in enameled cast-iron
- Ceramic glass resistant up to 750° C

kW-M	7,3	 BO	Elegance Bordeaux	7111600	€ 896,00
kW-N	6				
m³	172	 BIN	 Elegance White Infinity	7111603	€ 896,00
%	82,2				
kg/h	1,7	 PE	Liberty Parchment	7111658	€ 896,00
Ø mm	120 S				
Dim. L-H-P	460x840x495	 PT	Natural Stone	7111652	€ 896,00
kg	85 Maiolica 98 Nat. Stone				

Bruciatutto Series (MINIMUM ORDER OF 4 PIECES OR MULTIPLES)

Model / Plus	Technical data	Colour	Description	Code	Price
Major E					
 - External facing in enameled steel 90° door opening - External shaking grate - Doors and top-plate in enameled cast-iron - Brass handles	kW-M	12,3	 NE Anthracite Black	1111068	€ 477,00
	kW-N	6,5			
	m³	186			
	%	53			
	kg/h	2,8			
	Ø mm	120 S			
	Dim. L-H-P	405x820x457			
	kg	75			

Mignon E					
 - External facing in enameled steel - External shaking grate - Brass handles - Top-plate in enameled cast-iron	kW-M	7,5	 BI White	1110009	€ 344,00
	kW-N	4			
	m³	115	 BW Brown	1110010	€ 344,00
	%	53,5			
	kg/h	1,8	 CP Cappuccino	1110015	€ 371,00
	Ø mm	100 S			
	Dim. L-H-P	378x817x417			
	kg	56			

Wood burning cookers

America A					
 - External facing in enameled cast-iron - Large cast iron hearth Nordiker - Adjustable cast iron fire grate - Double glass fire door - Large enamelled oven 78l - Frame, plate and rings in cast-iron - Wood drawer - Chromed oven rack	kW-M	15,3	 NE Anthracite Black	7016014	€ 4.597,00
	kW-N	11,6			
	m³	333			
	%	76			
	kg/h	3,5			
	Ø mm	160 S/P			
	Dim. L-H-P	1280x860x660			
	kg	321			

Suprema A					
 - External facing in enameled cast-iron - Hearth in cast-iron - Double glass fire door - Large enamelled oven 78l - Cast iron doors and plate - Wood drawer - Chromed oven rack	kW-M	10,9	 CMO Matt Cream*	7015738	€ 3.040,00
	kW-N	8,5			
	m³	244	 NE Anthracite Black	7015714	€ 2.842,00
	%	78			
	kg/h	2,6	 TO Tortora	7015760	€ 2.955,00
	Ø mm	150 S/P			
	Dim. L-H-P	974x860x660	 TC Twin Color New 2018	7015740	€ 3.040,00
	kg	220			

Mamy A					
 - External facing in enameled cast-iron - Hearth in cast-iron - Cast iron fire grate - Double glass fire door - Large enamelled oven 55l - Cast iron doors and plate - Wood drawer - Chromed oven rack	kW-M	11,2	 CMO Matt Cream*	7013738	€ 2.810,00
	kW-N	8,7			
	m³	249	 NE Anthracite Black	7013714	€ 2.607,00
	%	78			
	kg/h	2,7	 TC Twin Color New 2018	7013740	€ 2.810,00
	Ø mm	150 S/P			
	Dim. L-H-P	880x860x660			
	kg	210			

Wood burning cookers

Model / Plus	Technical data	Colour	Description	Code	Price
Cucinotta A					
	• External facing in vitrified cast-iron cast-iron	 CMO	Matt Cream*	7013038	€ 2.197,00
	• Hearth in cast-iron and Nordiker				
	• Adjustable cast iron fire grate				
	• Double glass fire door	 NE	Anthracite Black	7013014	€ 2.025,00
	• Frame, plate and rings in cast-iron				
	• Wood drawer				
	kW-M 11,7	 TC	 Twin Color	7013040	€ 2.197,00
	kW-N 9,1				
	m³ 261				
	% 78				
	kg/h 2,8				
	Ø mm 150 S/P				
	Dim. L-H-P 682x860x653				
	kg 197				

Italy Built in A+					
	• Hearth in cast-iron	 IN	Inox	7015405	€ 3.476,00
	• Crystal and polished stainless steel facing				
	• Double glass fire door				
	• Large oven 55l				
	• Vetrified facing				
	• Polished cast iron plate and ring				
	• Possibility to fit between furniture				
	• Chromed oven rack				
	kW-M 8,7				
	kW-N 7,1				
	m³ 203				
	% 81,9				
	kg/h 2				
	Ø mm 150 S/P				
	Dim. L-H-P 897x853x655				
	kg 208				

Vicenza A					
	• Hearth in cast-iron and Nordiker	 NE	Anthracite Black	7016110	€ 2.567,00
	• Glass and brushed or enamelled stainless steel finish				
	• Triple glass fire door				
	• Cast iron firedoor				
	• Large oven with light, capacity 25l	 IN	Inox	7016100	€ 2.620,00
	• Automatic adjustment of primary air				
	• Top cooking plate and rings in polished cast-iron				
	• Reversible doors				
	• Option of fitting between furniture cabinets				
	• Top thickness 3 cm				
	• Chromed oven rack				
	kW-M 9,4				
	kW-N 7,4				
	m³ 212				
	% 79				
	kg/h 2,6				
	Ø mm 120 S/P - Lat dx/sx				
	Dim. L-H-P 600x850-910x600				
	kg 131				

Verona A					
	• Hearth in cast-iron and Nordiker	 NE	Anthracite Black	7016210	€ 2.907,00
	• Glass and brushed or enamelled stainless steel finish				
	• Triple glass fire door				
	• Cast iron firedoor				
	• Large oven with light, capacity 59 l	 IN	Inox	7016200	€ 2.957,00
	• Automatic adjustment of primary air				
	• Top cooking plate and rings in polished cast-iron				
	• Reversible doors				
	• Option of fitting between furniture cabinets				
	• Top thickness 3 cm				
	• Chromed oven rack				
	kW-M 10,2				
	kW-N 8,0				
	m³ 229				
	% 78,4				
	kg/h 2,4				
	Ø mm 150 S/P - Lat. dx/sx				
	Dim. L-H-P 800x850-910x600				
	kg 161				

Padova A					
	• Hearth in cast-iron and Nordiker	 NE	Anthracite Black	7016310	€ 3.040,00
	• Glass and brushed or enamelled stainless steel finish				
	• Double glass fire door				
	• Cast iron firedoor				
	• Cast iron facade	 IN	Inox	7016300	€ 3.093,00
	• Large oven with light, capacity 36 l				
	• Automatic adjustment of primary air				
	• Top cooking plate and rings in polished cast-iron				
	• Option of fitting between furniture cabinets				
	• Top thickness 3 cm				
	• Chromed oven rack				
	kW-M 10,7				
	kW-N 8,0				
	m³ 229				
	% 75%				
	kg/h 2,5				
	Ø mm 150 S/P - Lat. dx				
	Dim. L-H-P 900x850-910x600				
	kg 174				

Wood burning cookers

Model / Plus	Technical data	Colour	Description	Code	Price
Rosa A					
	• External facing in majolica or natural stone		Liberty Bordeaux	7015180	€ 1.861,00
	• Fire-box entirely in cast iron				
	• Panoramic fire door with ceramic glass				
	• Panoramic enameled oven 41 l		Liberty Parchment	7015176	€ 1.861,00
	• Frame, plate and rings in cast-iron				
	• Wood drawer				
			Natural Stone	7015174	€ 1.861,00

Rosa - Maiolica A					
	• External facing in majolica		White Infinity	7015153	€ 2.039,00
	• Fire-box entirely in cast iron				
	• Panoramic fire door with ceramic glass				
	• Panoramic enameled oven 41 l		Bordeaux	7015150	€ 2.039,00
	• Frame, plate and rings in cast-iron				
	• Wood drawer				
			Tortora	7015155	€ 2.039,00

Rosetta BII A+					
	• External facing in majolica or natural stone		Liberty Bordeaux	7013150	€ 1.675,00
	• Fire-box entirely in cast iron				
	• Panoramic fire door with ceramic glass				
	• Panoramic enameled oven 28 l		Liberty Parchment	7013158	€ 1.675,00
	• Frame, plate and rings in cast-iron				
	• Wood drawer				
			Natural Stone	7013152	€ 1.675,00

Rosetta Sinistra BII A					
	• External facing in majolica or natural stone		Liberty Bordeaux	7013130	€ 1.687,00
	• Fire-box entirely in cast iron				
	• Panoramic fire door with ceramic glass				
	• Panoramic enameled oven 28 l		Liberty Parchment	7013138	€ 1.687,00
	• Cast iron frame, plate and rings				
	• Wood drawer				
	• Vitrified cast-iron top frame door		Natural Stone	7013132	€ 1.687,00

Rosetta BII - Maiolica A+					
	• External facing in majolica or natural stone		Bordeaux	7013140	€ 1.759,00
	• Fire-box entirely in cast iron				
	• Panoramic fire door with ceramic glass				
	• Panoramic enameled oven 28 l		Tortora	7013145	€ 1.759,00
	• Frame, plate and rings in cast-iron				
	• Wood drawer				

Wood burning cookers

Model / Plus	Technical data	Colour	Description	Code	Price			
Family 4,5 A+ **								
 New 2018	• Enamelled external steel coating	kW-M	11,8**	 NE	Anthracite Black	7014001	€ 1.300,00	
	• Panoramic fire door with double glass	kW-N	9,0**		 CP	Cappuccino	7014002	€ 1.300,00
	• 41 liter Enamelled oven with double glass door	m³	258**			 BI	White	7014003
	• Vitrified cast-iron frame	%	76,0**	Dim. L-H-P	964x848x641**			
	• Top with polished cast-iron circles	kg/h	2,8**					
	• G20 cast-iron hearth	Ø mm	130** S					
	• Optional cover	kg	135**					
Sovrana Evo A								
	• Enamelled external facing	kW-M	11,8	 NE	Anthracite Black	7014323	€ 1.391,00	
	• Thermo convection sides	kW-N	9		 BI	White	7014320	€ 1.391,00
	• Double glass enameled oven, 41 l	m³	258			 CP	Cappuccino	7014321
	• Warming drawer	%	76					
	• Frame, plate and rings in cast-iron	kg/h	2,8					
	• Cast iron facade and hearth	Ø mm	130 S/P					
	• Wood drawer	Dim. L-H-P	964x848x641					
	• Vitrified cast iron frame	kg	135					
• Cover as standard								
Sovrana Easy A								
	• Porcelain steel external facing	kW-M	8,3	 NE	Anthracite Black	7014501	€ 1.230,00	
	• Hearth in cast iron with post combustion system.	kW-N	6,5		 CP	Cappuccino	7014503	€ 1.230,00
	• Cast iron fire grate	m³	186			 BI	White	7014502
	• Double glass fire door	%	78,7					
	• Panoramic enameled oven 41 l	kg/h	1,9					
	• Cast iron frame, plate and rings	Ø mm	130 S/P					
	• Wood drawer	Dim. L-H-P	964x848x641					
• Optional cover	kg	133						
Romantica 4,5 B								
	• Porcelain steel external facing	kW-M	9,1	 NE	Anthracite Black	1014057	€ 873,00	
	• Fire-box entirely in cast iron	kW-N	6		 BI	White	1014056	€ 873,00
	• External facing in enameled steel	m³	172	 BI		White Version Sx	1014046	€ 904,00
	• Double glass enameled oven 28 l	%	66		 CP	Cappuccino	1014050	€ 873,00
	• Vitrified cast iron frame	kg/h	1,8	 MF		Soft Brown	1014059	€ 873,00
	• Polished cast iron plate and ring	Ø mm	130 S		 MF	Soft Brown Version Sx	1014049	€ 904,00
	• Cover as standard	Dim. L-H-P	968x860x620	 RU		Rustic	1014054	€ 946,00
		kg	90					
Romantica 3,5 A								
	• Porcelain steel external facing	kW-M	6,6	 NE	Anthracite Black	1013054	€ 806,00	
	• Fire-box entirely in cast iron	kW-N	5		 BI	White	1013051	€ 806,00
	• External facing in enameled steel	m³	143	 BI		White Version Sx	1013041	€ 840,00
	• Double glass enameled oven 22 l	%	76		 CP	Cappuccino	1013055	€ 806,00
	• Vitrified cast iron frame	kg/h	1,4	 MF		Soft Brown	1013052	€ 806,00
	• Polished cast iron plate and ring	Ø mm	120 S		 MF	Soft Brown Version Sx	1013042	€ 840,00
	• Cover as standard	Dim. L-H-P	877x856x568					
		kg	79					

Fireplace Line - Cast iron inserts

Model / Plus	Technical data		Code	Price
--------------	----------------	--	------	-------

Two adequately sized ventilation grilles (an inlet grille at the bottom and an outlet one at the top) should be installed during assembly to ensure correct operation and permit heating of the room and correct cooling of the product (see the manual attached to the product).

Inserto 60 - Ventilato

A⁺

	- Extractable ash drawer - Cast iron of 8 and 16mm - Ceramic glass heat-resistant 750° C - Adjustable primary and secondary air - Standard tangential fans	kW-M	8,6		6016603	€ 1.037,00
		kW-N	7			
		m³	200			
		%	81,3			
		kg/h	2			
		Ø mm	160			
		Dim. L-H-P	595x500x440			
		kg	115			

Inserto 70 - Ventilato

A

	- Extractable ash drawer - Cast iron of 8 and 16mm - Ceramic glass heat-resistant 750° C - Adjustable primary and secondary air - Standard tangential fans	kW-M	12,3		6016703	€ 1.184,00
		kW-N	9,8			
		m³	281			
		%	80			
		kg/h	3			
		Ø mm	160			
		Dim. L-H-P	695x550x450			
		kg	142			

Inserto 70 Prismatico - Ventilato*

A

	- Extractable ash drawer - Cast iron of 8 and 16mm - Ceramic glass heat-resistant 750° C in a single piece - Adjustable primary and secondary air - Standard tangential fans	kW-M	12,3		6016753	€ 1.605,00
		kW-N	9,8			
		m³	281			
		%	80			
		kg/h	3			
		Ø mm	160			
		Dim. L-H-P	690x550x540			
		kg	165			

Inserto 70 Tondo - Ventilato

A

	- Extractable ash drawer - Cast iron of 8 and 16mm - Ceramic glass heat-resistant 750° C in a single piece - Adjustable primary and secondary air - Standard tangential fans	kW-M	12,3		6016733	€ 1.605,00
		kW-N	9,8			
		m³	281			
		%	80			
		kg/h	3			
		Ø mm	160			
		Dim. L-H-P	690x550x540			
		kg	162			

Inserto 70 H 49 - Ventilato

A

	- Extractable ash drawer - Cast iron of 8 and 16mm - Ceramic glass heat-resistant 750° C - Adjustable primary and secondary air - Standard tangential fans	kW-M	12,3		6016713	€ 1.184,00
		kW-N	9,8			
		m³	281			
		%	80			
		kg/h	3			
		Ø mm	160			
		Dim. L-H-P	695x495x450			
		kg	136			

Inserto 70 L - Ventilato

A

	- Extractable ash drawer - Cast iron of 8 and 16mm - Ceramic glass heat-resistant 750° C - Adjustable primary and secondary air - Standard tangential fans	kW-M	11,5		6016743	€ 1.125,00
		kW-N	9			
		m³	258			
		%	78,1			
		kg/h	2,7			
		Ø mm	160			
		Dim. L-H-P	695x550x450			
		kg	128			

Fireplace Line - Crystal inserts

Model / Plus		Technical data			Code	Price
Inserto 50 Verticale Crystal BII - Ventilato A+						
	• Extractable ash drawer • Hearth in cast-iron and Nordiker • Ceramic glass heat-resistant 750° C • Door in cast iron • Standard tangential fans • Adjustable primary and secondary air, preset tertiary air with post combustion system • Possibility to change by yourself the door opening direction from right to left	kW-M	10,2		6016504	€ 1.865,00
		kW-N	8,3			
		m³	237			
		%	81			
		kg/h	2,4			
		Ø mm	150			
		Dim. L-H-P	500x800x500			
		kg	115			
Inserto 70 Crystal - Ventilato A						
	• Extractable ash drawer • Hearth in cast-iron and Nordiker • Ceramic glass heat-resistant 750° C • Standard tangential fans • Adjustable primary and secondary air, preset tertiary air with post combustion system • Possibility to change by yourself the door opening direction from right to left	kW-M	11,5		6016723	€ 1.605,00
		kW-N	9			
		m³	258			
		%	78,2			
		kg/h	2,7			
		Ø mm	160			
		Dim. L-H-P	700x555x500			
		kg	124			
Inserto 70 Crystal 3 Lati A+						
	• Extractable ash drawer • Hearth in cast-iron and Nordiker • Ventilation optional • Ceramic glass heat-resistant 750° C • Cast iron door • Front and side view of the fire • Adjustable primary and secondary air, preset tertiary air with post combustion system • Possibility to change by yourself the door opening direction from right to left	kW-M	11,8		6016765	€ 2.024,00
		kW-N	9,7			
		m³	278			
		%	82			
		kg/h	2,7			
		Ø mm	160			
		Dim. L-H-P	755x554x510			
		kg	134			
Inserto 70 Crystal Angolo A						
	• Extractable ash drawer • Hearth in cast-iron and Nordiker • Ventilation optional • Ceramic glass heat-resistant 750° C • Cast iron door • The product can be transformed with the glass side on the left • Adjustable primary and secondary air, preset tertiary air with post combustion system • Possibility to change by yourself the door opening direction from right to left	kW-M	11,8		6016763	€ 1.800,00
		kW-N	9,2			
		m³	263			
		%	78			
		kg/h	2,7			
		Ø mm	160			
		Dim. L-H-P	755x554x510			
		kg	133			

Fireplace Line - Crystal inserts

Model / Plus		Technical data			Code	Price
Inserto 80 Crystal Evo 2.0 - Ventilato A+						
	• Extractable ash drawer • Hearth in cast-iron and Nordiker • Ceramic glass heat-resistant 750° C • Cast iron door • Standard tangential fans • Adjustable primary and secondary air • Possibility to change by yourself the door opening direction from right to left	kW-M	8,8		6016814	€ 1.751,00
		kW-N	7,4			
		m³	212			
		%	83,9			
		kg/h	2,1			
		Ø mm	160			
		Dim. L-H-P	800x555x500			
		kg	130			
Inserto 80 High Pressure A+						
	• Standard ventilation system that can be channelled • Extractable ashbox • Hearth in cast-iron and nordiker • Ceramic glass resistant up to 750° C • Door in cast iron • High Pressure Centrifugal fan • Digital adjustment control unit with remote control • Adjustable primary and secondary air, preset tertiary air with post combustion system	kW-M	9,6		6016820	€ 1.832,00
		kW-N	7,9			
		m³	226			
		%	82,4			
		kg/h	2,3			
		Ø mm	160			
		Dim. L-H-P	800x555x520			
		kg	128			
Inserto 80 PRS Crystal A+						
New 2018 	• Power Radiant System (PRS) • Front extractable ash drawer • Cast Iron Door • Cast iron and Nordiker Firebox • Standard Tangential fans • Reversible door opening	kW-M	9,5		6016825	€ 2.290,00
		kW-N	8,3			
		m³	237			
		%	87,4			
		kg/h	2,2			
		Ø mm	160			
		Dim. L-H-P	800x916x500			
		kg	150			
Inserto 100 Crystal - Ventilato A						
	• Extractable ash drawer • Hearth in cast-iron and Nordiker • Door in steel • Ceramic glass heat-resistant 750° C • Standard tangential fans • Adjustable primary and secondary air • Possibility to change by yourself the door opening direction from right to left	kW-M	12,1		6016003	€ 2.096,00
		kW-N	9,5			
		m³	272			
		%	78,2			
		kg/h	2,8			
		Ø mm	160			
		Dim. L-H-P	1000x555x500			
		kg	156			

Fireplace Line - Hearth Series

Model / Plus	Technical data		Code	Price
Focolare 60 Piano Evo A⁺				
 • Completely built in radiant G20 cast iron • Extractable ash drawer • Cast iron of 8 and 16mm • Ceramic glass heat-resistant 750° C • Possibility to take from outside the combustive air • Adjustable primary and secondary air, preset tertiary air with post combustion system • Ventilation optional	kW-M	10,0	6017761	€ 1.135,00
	kW-N	8,5		
	m³	243		
	%	85,1		
	kg/h	2,3		
	Ø mm	160		
	Dim. L-H-P	609x985 - 1085x467		
	kg	136		

Focolare 70 Piano Evo Crystal A⁺				
 New 2018 • Power Radiant System • Front extractable ash drawer • Entirely built with radiant G20 cast iron • Cast iron and Nordiker Firebox • Intake air from the outside • Optional ventilation	kW-M	10,5	6017771	€ 1.450,00
	kW-N	9,0		
	m³	258		
	%	85,3		
	kg/h	2,5		
	Ø mm	200		
	Dim. L-H-P	704x1125-1225x491		
	kg	172		

Focolare 70 Piano A				
 • Completely built in radiant G20 cast iron • Extractable ash drawer • Cast iron of 8 and 16mm • Ceramic glass heat-resistant 750° C • Possibility to take from outside the combustive air • Adjustable primary and secondary air, preset tertiary air with post combustion system • Ventilation optional	kW-M	11,4	6017770	€ 1.135,00
	kW-N	9,1		
	m³	261		
	%	80		
	kg/h	2,7		
	Ø mm	200		
	Dim. L-H-P	693x1025 - 1125x491		
	kg	142		

Focolare 70 Tondo A				
 • Completely built in radiant G20 cast iron • Extractable ash drawer • Cast iron of 8 and 16mm • Ceramic glass heat-resistant 750° C in a single piece • Possibility to take from outside the combustive air • Adjustable primary and secondary air, preset tertiary air with post combustion system • Ventilation optional	kW-M	11,4	6017773	€ 1.574,00
	kW-N	9,1		
	m³	261		
	%	80		
	kg/h	2,7		
	Ø mm	200		
	Dim. L-H-P	693x1025 - 1125x578		
	kg	159		

Focolare 80 Bifacciale Hybrid A⁺				
 • One latch door, one door with 90°C opening • Fire plan and grid in thick G20 cast iron • Hearth top elements in Nordiker • Cast iron cape • Convection carter in galvanized steel • Ceramic glass heat-resistant 750° C • Ventilation optional • Adjustable primary and secondary air • Extractable ash drawer	kW-M	12,3	6017834	€ 3.196,00
	kW-N	10,2		
	m³	292		
	%	83		
	kg/h	2,5		
	Ø mm	200		
	Dim. L-H-P	936x1560x699		
	kg	295		

Fireplace Line - Hearth Series

Model / Plus	Technical data		Code	Price
Focolare 100 Bifacciale A				
 • 90° c opening double door • Fire plan and grid in thick G20 cast iron • Hearth top elements in Nordiker • Cast iron cape • Convection carter in galvanized steel • Ceramic glass heat-resistant 750° C • Extractable ash drawer • Adjustable primary and secondary air • Ventilation optional	kW-M	13,8	6017733	€ 3.066,00
	kW-N	11		
	m³	315		
	%	80		
	kg/h	3,3		
	Ø mm	200		
	Dim. L-H-P	1104x1406x675		
	kg	267		

Fireplace Line - Monoblock Series

Monoblocco 800 Angolo DX A+				
 • Fire plan and grid in thick G20 cast iron • Hearth top elements in Nordiker • 3 mm thick special steel cape • Ceramic glass heat-resistant 750° C in a single piece • Extractable ash drawer • Adjustable primary and secondary air, preset tertiary air with post combustion system • Ventilation optional	kW-M	12,4	6018810	€ 3.621,00
	kW-N	10		
	m³	287		
	%	80,9		
	kg/h	2,9		
	Ø mm	200		
	Dim. L-H-P	879x1570 - 1605x612		
	kg	271		

Monoblocco 800 Angolo SX A+				
 • Fire plan and grid in thick G20 cast iron • Hearth top elements in Nordiker • 3 mm thick special steel cape • Ceramic glass heat-resistant 750° C in a single piece • Extractable ash drawer • Adjustable primary and secondary air, preset tertiary air with post combustion system • Ventilation optional	kW-M	12,4	6018820	€ 3.621,00
	kW-N	10		
	m³	287		
	%	80,9		
	kg/h	2,9		
	Ø mm	200		
	Dim. L-H-P	879x1570 - 1605x612		
	kg	271		

Monoblocco Ghisa 750 - Piano A				
 • Fire plan and grid in thick G20 cast iron • Cast iron hearth • Cast iron cape • Ceramic glass heat-resistant 750° C in a single piece • Extractable ash drawer • Adjustable primary and secondary air, preset tertiary air with post combustion system • Ventilation optional	kW-M	16,6	6019750	€ 3.196,00
	kW-N	13		
	m³	373		
	%	78,3		
	kg/h	3,8		
	Ø mm	200		
	Dim. L-H-P	846x1624 - 1664x676		
	kg	342		

Fireplace Line - Monoblock Series

Model / Plus		Technical data			Code	Price	
Monoblocco Ghisa 750 - Ironker Piano							A
	• Fire plan and grid in thick G20 cast iron • Nordiker hearth • Cast iron cape • Ceramic glass heat-resistant 750° C in a single piece • Extractable ash drawer • Adjustable primary and secondary air, preset tertiary air with post combustion system • Ventilation optional	kW-M	16,6		6018760	€ 3.196,00	
		kW-N	13				
		m³	373				
		%	78,3				
		kg/h	3,8				
		Ø mm	200				
		Dim. L-H-P	846x1624 - 1664x678				
		kg	336				
Monoblocco 900 - Piano							A
	• Fire plan and grid in thick G20 cast iron • Hearth top elements in Nordiker • 3 mm thick special steel cape • Ceramic glass heat-resistant 750° C in a single piece • Extractable ash drawer • Adjustable primary and secondary air, preset tertiary air with post combustion system • Ventilation optional	kW-M	19,1		6018900	€ 3.749,00	
		kW-N	15				
		m³	430				
		%	78,5				
		kg/h	4,4				
		Ø mm	250				
		Dim. L-H-P	1064x1548 - 1593x820				
		kg	358				
Monoblocco 1000 - Piano Crystal							A
	• Fire plan and grid in thick G20 cast iron • Hearth top elements in Nordiker • Cast iron cape • Convection carter in galvanized steel • Ceramic glass heat-resistant 750° C • Extractable ash drawer • Adjustable primary and secondary air, preset tertiary air with post combustion system • Ventilation optional	kW-M	12,8		6118100	€ 3.815,00	
		kW-N	10				
		m³	287				
		%	78,3				
		kg/h	3,0				
		Ø mm	200				
		Dim. L-H-P	1130x1495 - 1520x635				
		kg	272				
Monoblocco 1300 - Piano Crystal							A
	• Fire plan and grid in thick G20 cast iron • Hearth top elements in Nordiker • Cast iron cape • Convection carter in galvanized steel • Ceramic glass heat-resistant 750° C • Extractable ash drawer • Adjustable primary and secondary air, preset tertiary air with post combustion system • Ventilation optional	kW-M	16,6		6118130	€ 4.182,00	
		kW-N	13				
		m³	373				
		%	78,3				
		kg/h	3,9				
		Ø mm	200				
		Dim. L-H-P	1430x1495 - 1520x635				
		kg	338				
Monoblocco 1300 H 800 - Piano							A+
	• Fire plan and grid in thick G20 cast iron • Hearth top elements in Nordiker • Cast iron cape • Convection carter in galvanized steel • Ceramic glass heat-resistant 750° C • Extractable ash drawer • Adjustable primary and secondary air, preset tertiary air with post combustion system • Ventilation optional	kW-M	16,7		6118138	€ 4.623,00	
		kW-N	13,5				
		m³	387				
		%	81				
		kg/h	3,9				
		Ø mm	200				
		Dim. L-H-P	1430x1740 - 1765x635				
		kg	393				

Wood Thermo Products - Thermo Stove Series

Model / Plus	Technical data	Colour	Description	Code	Price
--------------	----------------	--------	-------------	------	-------

The presence of the anti-condensation valve is an essential element for the factory warranty on the product

Termonathalie DSA

A+

	- External facing in majolica - Enameled cast iron top, door and base - Extractable wood drawer - Adjustable primary and secondary air, preset tertiary air with post combustion system - DSA security device (DSA valve not included) - Ceramic glass resistant up to 750° C	kW-M	9,8		Bordeaux	7117600	€ 1.995,00
		kW-N	8,7				
		kW-H₂O	5,7				
		m³	249				
		%	88,6				
		kg/h	2,3				
		Ø mm	130 S				
		Dim. L-H-P	559x915x538				
		kg	165				

Termonrossella Plus Evo DSA

A+

	- External facing in majolica or natural stone - Door, base and top-plate in enameled cast-iron - Extractable wood drawer - Adjustable primary air, preset secondary and tertiary air with post combustion system - DSA security device (DSA valve not included) - Ceramic glass heat-resistant 750° C	kW-M	15,4		Liberty Bordeaux	7117270	€ 2.494,00
		kW-N	12,8				
		kW-H₂O	8,5				
		m³	366		Liberty Parchment	7117278	€ 2.494,00
		%	83				
		kg/h	3,6				
		Ø mm	130 S		Natural Stone	7117272	€ 2.494,00
		Dim. L-H-P	559x915x533				
		kg	162 Liberty 175 Nat. Stone				

Termonrossella Plus Forno DSA

A+

	- External facing in majolica or natural stone - Door, base and top-plate in enameled cast-iron - Extractable wood drawer - Panoramic enameled oven 37 l - Adjustable primary air, preset secondary and tertiary air with post combustion system - DSA security device (DSA valve not included) - Ceramic glass heat-resistant 750° C	kW-M	16,6		Liberty Bordeaux	7117360	€ 3.333,00
		kW-N	13,5				
		kW-H₂O	10,5				
		m³	390		Liberty Parchment	7117368	€ 3.333,00
		%	81,1				
		kg/h	3,9				
		Ø mm	130 S		Natural Stone	7117362	€ 3.333,00
		Dim. L-H-P	559x1359x533				
		kg	218 Liberty 242 Nat. Stone				

Termonicoletta Evo DSA

A+

	- External facing in majolica - Enameled cast-iron door - Extractable wood drawer - Adjustable primary air, preset secondary and tertiary air with post combustion system - DSA security device (DSA valve not included) - Ceramic glass heat-resistant 750° C in a single piece	kW-M	15,4		Bordeaux	7117160	€ 2.788,00
		kW-N	12,8				
		kW-H₂O	8,5				
		m³	366				
		%	83				
		kg/h	3,6				
		Ø mm	130 S				
		Dim. L-H-P	587x980x572				
		kg	183				

Termonicoletta Forno DSA

A+

	- External facing in majolica - Enameled cast-iron door - Extractable wood drawer - Adjustable primary air, preset secondary and tertiary air with post combustion system - Panoramic enameled oven 37 l - DSA security device (DSA valve not included) - Ceramic glass heat-resistant 750° C in a single piece	kW-M	16,6		Bordeaux	7117350	€ 3.892,00
		kW-N	13,5				
		kW-H₂O	10,5				
		m³	390				
		%	81,1				
		kg/h	3,9				
		Ø mm	130 S				
		Dim. L-H-P	587x1423x572				
		kg	254				

Wood Thermo Products - Thermo Stove Series

Model / Plus	Technical data	Colour	Description	Code	Price	
Loriet S DSA A+						
	• External facing in majolica	 BO	Bordeaux	7117400	€ 2.789,00	
	• Door and plate in polished cast iron					
	• Adjustable primary and secondary air, preset tertiary air with post combustion system					
	• DSA security device (DSA valve not included)					
	• Ceramic glass resistant up to 750° C					
	kW-M	19,1	 BIN	White Infinity	7117405	€ 2.789,00
	kW-N	16,8				
	kW-H ₂ O	10,5				
	m ³	481				
	%	88				
kg/h	4,3					
Ø mm	130 S					
Dim. L-H-P	570x1258x567					
kg	203					
Termolsotta DSA A						
	• Stove completely made in enameled cast-iron			7119700	€ 2.641,00	
	• Front loading door					
	• High cast iron performance					
	• Adjustable primary air, preset secondary and tertiary air with post combustion system					
	• DSA security device (DSA valve not included)					
	• Ceramic glass heat-resistant 750° C in a single piece					
	kW-M					19,1
	kW-N					15
	kW-H ₂ O					8,5
	m ³					430
%	78,4					
kg/h	4,4					
Ø mm	150 S					
Dim. L-H-P	760x775x520					
kg	212					
Norma S Idro DSA A						
	• External facing in majolica	 BO	Bordeaux	7117170	€ 4.170,00	
	• Base, head and door in cast iron					
	• Internal hearth covering in steel					
	• Vertical flame hearth					
	• Adjustable primary air, preset secondary and tertiary air with post combustion system					
	• DSA security device (DSA valve not included)	 TI	Titanium	7117177	€ 4.170,00	
	• Ceramic glass heat-resistant 750° C in a single piece					
	kg/h					5,8
	Ø mm					160 S
	Dim. L-H-P					720x1242x575
kg	249					
Norma S Evo Idro DSA A+						
	• External facing in majolica	 BO	Bordeaux	7117130	€ 4.170,00	
	• Base, head and door in cast iron					
	• Internal hearth covering in steel					
	• Vertical flame hearth	 PE	Parchment	7117135	€ 4.170,00	
	• Adjustable primary air, preset secondary and tertiary air with post combustion system					
	• DSA security device (DSA valve not included)					
	• Ceramic glass heat-resistant 750° C in a single piece	 TI	Titanium	7117137	€ 4.170,00	
	kg/h					4,8
	Ø mm					160 S
	Dim. L-H-P					731x1246x634
kg	245					

Wood Thermo Products - Thermo Stove Series

Model / Plus	Technical data	Colour	Description	Code	Price	
Norma Classic S Evo Idro DSA A+						
	• External facing in majolica	 BIN	White Infinity	7117141	€ 4.145,00	
	• Base and door in cast iron					
	• internal hearth covering in steel					
	• Vertical flame hearth					
	• adjustable primary and secondary air, preset tertiary air with post combustion system					
	• DSA security device (DSA valve not included)	 BO	Bordeaux	7117140	€ 4.145,00	
	• Ceramic glass heat-resistant 750° C in a single piece					
	kW-M					20,5
	kW-N					17,5
	kW-H ₂ O					10,6
m ³	501					
%	85,3					
kg/h	4,8					
Ø mm	160 S					
Dim. L-H-P	766x1272x589					
kg	227					
Norma Steel S Evo Idro DSA A+						
	• External facing in painted steel and majolica	 BIN	White Infinity	7117125	€ 3.749,00	
	• Base and door in cast iron					
	• internal hearth covering in steel					
	• Vertical flame hearth					
	• Adjustable primary and secondary air, preset tertiary air with post combustion system					
	• DSA security device (DSA valve not included)					
	• Ceramic glass heat-resistant 750° C in a single piece					
	kW-M					20,5
	kW-N					17,5
	kW-H ₂ O					10,6
m ³	501					
%	85,3					
kg/h	4,8					
Ø mm	160 S					
Dim. L-H-P	766x1272x589					
kg	204					
Fly Idro DSA A+						
	• External surround in crystal and mayolica	 BIN	White Infinity	7113563	€ 3.784,00	
	• Extractable ash drawer					
	• Adjustable primary air, preset secondary and tertiary air with post combustion system					
	• DSA security device (DSA valve not included)					
	• Ceramic glass heat-resistant 750° C					
	kW-M	18,6	 CRY	Crystal	7113560	€ 3.476,00
	kW-N	15,4				
	kW-H ₂ O	11,1				
	m ³	441				
	%	82,7				
kg/h	4,3					
Ø mm	160 S					
Dim. L-H-P	878x1076x565					
kg	252 White 219 Crystal					
TermoCucinotta Evo DSA A						
	• Enameled cast iron facing	 NE	Anthracite Black	7013054	€ 3.058,00	
	• Vitrified cast iron frame					
	• Polished cast iron plate and ring					
	• Wood drawer					
	• Adjustable primary air, preset secondary and tertiary air with post combustion system					
	• DSA security device (DSA valve not included)					
	kW-M					21,4
	kW-N					16,9
	kW-H ₂ O					11,9
	m ³					484
%	78,8					
kg/h	4,9					
Ø mm	150 S					
Dim. L-H-P	682x860x679					
kg	205					

Wood Thermo Products - Thermo Kitchen Series

Model / Plus	Technical data	Colour	Description	Code	Price
ThermoSovrana DSA A⁺					
	• External facing in steel		Anthracite Black	7014214	€ 2.780,00
	• Panoramic enameled oven 41 l				
	• Vitrified cast iron frame				
	• Polished cast iron plate and ring		White	7014203	€ 2.780,00
	• Thermo convection sides				
	• Wood drawer				
	• Adjustable primary air, preset secondary and tertiary air with post combustion system				
	• DSA security device (DSA valve not included)		Soft Brown*	7014204	€ 2.780,00
	kW-N				
	kW-N				
	kW-H₂O				
	m³				
	%				
	kg/h				
	Ø mm				
	Dim. L-H-P				
	kg				

ThermoRosa DSA A					
	• External facing in majolica or natural stone		Liberty Bordeaux	7017510	€ 3.089,00
	• Panoramic enameled oven 28 l				
	• Vitrified cast iron frame				
	• Polished cast iron plate and ring				
	• Wood drawer				
	• Adjustable primary air, preset secondary and tertiary air with post combustion system		Natural Stone	7017552	€ 3.089,00
	• DSA security device (DSA valve not included)				
	kW-M				
	kW-N				
	kW-H₂O				
	m³				
	%				
	kg/h				
	Ø mm				
	Dim. L-H-P				
	kg				

ThermoRosa Ready DSA - 2.0 A					
	• External facing in majolica or natural stone		Liberty Bordeaux	7017567	€ 4.541,00
	• Panoramic enameled oven 41 l				
	• Vitrified cast iron frame				
	• Polished cast iron plate and ring				
	• Adjustable primary air, preset secondary and tertiary air with post combustion system		Natural Stone	7017566	€ 4.541,00
	• DSA security device (DSA valve included)				
	• Digital electronic control				
	• Hydraulic circuit on board				
	kW-M				
	kW-N				
	kW-H₂O				
	m³				
	%				
	kg/h				
	Ø mm				
	Dim. L-H-P				
	kg				

ThermoRosa XXL DSA A⁺					
	• Enamelled external facing		Anthracite Black	7017570	€ 3.966,00
	• Doors and facade in polished cast iron				
	• Double glass fire door				
	• Large enamelled oven 55 l				
	• Top cooking plate and rings in polished cast-iron				
	• Wood drawer				
	• DSA security device (DSA valve not included)				
	• Chromed oven rack				
	kW-M				
	kW-N				
	kW-H₂O				
	m³				
	%				
	kg/h				
	Ø mm				
	Dim. L-H-P				
	kg				

ThermoRosa XXL Ready DSA - 2.0 A⁺					
	• Enamelled external facing		Anthracite Black	7017581	€ 5.231,00
	• Doors and facade in polished cast iron				
	• double glass fire door				
	• Large enamelled oven 55 l				
	• Top cooking plate and rings in polished cast-iron				
	• DSA security device (DSA valve included)				
	• Digital electronic control				
	• Hydraulic circuit on board				
	• Chromed oven rack				
	kW-M				
	kW-N				
	kW-H₂O				
	m³				
	%				
	kg/h				
	Ø mm				
	Dim. L-H-P				
	kg				

Wood Thermo Products - Thermo Kitchen Series

Model / Plus	Technical data	Colour	Description	Code	Price		
TermoSuprema Compact DSA							
	• Enameled cast iron facing • Panoramic enameled oven 55 l • Vitrified cast iron frame • Polished cast iron plate and ring • Wood drawer • Adjustable primary air, preset secondary and tertiary air with post combustion system • DSA security device (DSA valve not included) • Chromed oven rack	kW-M	22,3	 CMO	Matt Cream*	7015848	€ 4.478,00
	kW-N	18,5					
	kW-H₂O	15					
	m³	530					
	%	83					
	kg/h	5,2	 NE	Anthracite Black	7015844	€ 4.170,00	
	Ø mm	160 S/P					
	Dim. L-H-P	982x860x682					
	kg	293					

Italy Termo Built in DSA



- Crystal and polished stainless steel external facing
- Panoramic enameled oven 55 l
- Vitrified cast iron frame
- Polished cast iron plate and ring
- Double glass fire door
- Wood drawer
- Adjustable primary air, preset secondary and tertiary air with post combustion system
- DSA security device (DSA valve not included)
- Chromed oven rack

kW-M	22,2
kW-N	18,4
kW-H₂O	15,1
m³	527
%	83
kg/h	5,1
Ø mm	160 S/P
Dim. L-H-P	996x853x730
kg	283


IN

Inox

7015505

€ 4.634,00

A⁺

Italy Termo DSA



- External covering in vitrified cast-iron
- Panoramic enameled oven 55 l
- Vitrified cast-iron top frame
- Top cooking plate and rings in polished cast-iron
- Double glass fire door
- Wood drawer
- Adjustable primary and secondary air, preset tertiary air with post combustion system
- DSA security device (DSA valve not included)
- Chromed oven rack

kW-M	22,3
kW-N	18,5
kW-H₂O	15
m³	530
%	83
kg/h	5,2
Ø mm	160 S/P
Dim. L-H-P	965x861x690
kg	272


MA

Magnolia

7015508

€ 4.170,00

A⁺

Modulo All Inclusive Italy Termo DSA 2.0		(System for the production of hot sanitary water)					
	• Set including 80 lt water storage • Digital electronic control device • nr. 2 cast iron circulators • nr. 2 8 lt expansion tanks • Flow switch • 20 plates exchanger • SF20 three • Way valve • DSA valve • Manometer	Dim. L-H-P	463x883x745	 MA	Magnolia	7015528	€ 3.282,00
		kg	106				

Modulo All Inclusive Universale DSA 2.0 (System for the production of hot sanitary water)							
	• Set including 80lt water storage • Digital electronic control • Nr.2 cast irons circulators • Nr. 2 8 lt expansion tanks • Flow switch • 20 plates exchanger • SF20 three • Way valve • DSA valve • Two 3 bar safety valves • Manometer • Display with remote control	Dim. L-H-P	458x876x674	 NE	Anthracite Black	7015595	€ 3.282,00
		kg	100				

The "Universal All Inclusive DSA Module" is an easy and cost-effective way to produce domestic hot water. It can also be used on existing systems, thus solving all your requirements in a quick and easy way. Simply connect it to one of your La Nordica-Extraflame ThermoProducts or to your thermo-product.

Wood Thermo Products - Thermo Fireplace Series

Model / Plus		Technical data			Code	Price
TermoCamino 650 - Piano A						
	• Completely made of steel • Disappearing glass • Double combustion • Thick cast-iron large brazier • Adjustable primary air, preset secondary and tertiary air with post combustion system	kW-M	28,8		6016510	€ 2.834,00
		kW-N	21			
		kW-H ₂ O	11			
		m ³	600			
		%	73			
		kg/h	6,7			
		Ø mm	200			
		Dim. L-H-P	886x1484-1534x676			
		kg	213			
TermoCamino 800 - Prismatico* A						
	• Completely made of steel • Disappearing glass • Double combustion • Thick cast-iron large brazier • Adjustable primary air, preset secondary and tertiary air with post combustion system	kW-M	34,2		6018015	€ 3.178,00
		kW-N	25			
		kW-H ₂ O	14			
		m ³	720			
		%	73			
		kg/h	7,9			
		Ø mm	250			
		Dim. L-H-P	978x1484-1534x808			
		kg	261			
Focolare 80 Idro Crystal DSA A+						
	• Extractable ashbox • Hearth in cast-iron and Nordiker • Ceramic glass heat-resistant up to 750° C • Adjustable primary and secondary air, preset tertiary air with post combustion system • DSA security device (DSA valve not included)	kW-M	18,6		6017873	€ 2.625,00
		kW-N	15,4			
		kW-H ₂ O	11,1			
		m ³	441			
		%	82,7			
		kg/h	4,3			
		Ø mm	160			
		Dim. L-H-P	800x1192x560			
		kg	178			
TermoCamino Base DSA A+						
	• Completely made of steel • Hearth in cast-iron and Nordiker • Disappearing glass • Thick cast iron large brazier • Adjustable primary and secondary air, preset tertiary air with post combustion system • DSA security device (DSA valve not included)	kW-M	19,3		6015010	€ 3.089,00
		kW-N	15,6			
		kW-H ₂ O	11,1			
		m ³	447			
		%	80,9			
		kg/h	4,5			
		Ø mm	160			
		Dim. L-H-P	936x1457x626			
		kg	214			

Wood Thermo Products - Thermo Fireplace Series

Model / Plus	Technical data		Code	Price	
TermoCamino WF 25 X - DSA					
	• Completely made of steel • Hearth in cast iron and Nordiker • Disappearing glass • Thick cast iron large brazier • Adjustable primary and secondary air, preset tertiary air with post combustion system • DSA security device (DSA valve not included)	kW-M	35,4	6015125	€ 4.403,00
		kW-N	27,1		
		kW-H ₂ O	18,2		
		m ³	777		
		%	76,5		
		kg/h	8		
		Ø mm	200		
		Dim. L-H-P	846x1585x667		
		kg	287		




TermoCamino WF Plus DSA				A ⁺	
	• Completely made of steel • Hearth in cast iron and Nordiker • Disappearing glass • Thick cast iron large brazier • Adjustable primary and secondary air, preset tertiary air with post combustion system • DSA security device (DSA valve not included) • Insulated guard	kW-M	24,0	6015115	€ 3.998,00
		kW-N	20,5		
		kW-H ₂ O	11,3		
		m ³	587		
		%	85,5		
		kg/h	5,4		
		Ø mm	200		
		Dim. L-H-P	846x1585x667		
		kg	334		

Wood Thermo Products - Boilers

Model / Plus	Technical data					Description	Code	Price		
Caldaie Serie LNK - LNK Boilers series										
	• 303-5 Class 5 approved boilers • Down-fired combustion • Simple use and maintenance • Made with 6 mm thick steel • Smoke motor speed, puffer probe (already included) and circulator managed directly by the machine electronics • High insulation for high performance • Opening with safety device on handles • Coordinated design for strong identification		LNK15	LNK20	LNK30	LNK40	Boiler LNK15	7216500	€ 4.694,00	
		kW-N	17,3	21	29	37	Boiler LNK20	7217000	€ 5.099,00	
		m³	495	602	831	1060				
		%	89	89,3	89,9	90,5				
		kg/h	4,5	5,4	7,4	9,2	Boiler LNK30	7218000	€ 5.820,00	
		Ø mm	150	150	150	150				
		Dim. L-H-P	599x1212x1271			695x1212x1271		Boiler LNK40	7219000	€ 6.335,00
		kg	465	465	519	524				



Frames

Model / Plus	Description	Available for:	Code	Price
Cornice Maiolica Oro Craquelé 50V				
	Fine gold craquelure majolica surround.	• Inserto 50 Verticale Crystal ventilato	6016557	€ 721,00
Cornice Maiolica Oro Craquelé 70				
	Fine gold craquelure majolica surround.	• Inserto 70 Crystal ventilato	6016777	€ 721,00
Cornice Maiolica Oro Craquelé 80				
	Fine gold craquelure majolica surround.	• Inserto 80 PRS Crystal • Inserto 80 Crystal Evo 2.0 - Ventilato • Inserto 80 High Pressure • Focolare 80 Bifacciale Hybrid • Focolare 80 Idro Crystal DSA • TermoCamino Base DSA • Plasma 80:26	6016887	€ 721,00
Cornice Maiolica Oro Craquelé 100				
	Fine gold craquelure majolica surround.	• Inserto 100 Crystal - Ventilato • Focolare 100 Bifacciale • Monoblocco 1000 - Piano Crystal	6016077	€ 765,00
Cornice Maiolica Madreperla 50V				
	Fine mother-of-pearl majolica surround.	• Inserto 50 Verticale Crystal BII - Ventilato	6016553	€ 721,00
Cornice Maiolica Madreperla 70				
	Fine mother-of-pearl majolica surround.	• Inserto 70 Crystal - Ventilato	6016773	€ 721,00


Note: prices are valid just for the models available in stock

* While stocks last

Frames

Model / Plus	Description	Available for:	Code	Price
Cornice Maiolica Madreperla 80				
	Fine mother-of-pearl majolica surround.	• Inserto 80 PRS Crystal • Inserto 80 Crystal Evo 2.0 - Ventilato • Inserto 80 High Pressure • Focolare 80 Bifacciale Hybrid • Focolare 80 Idro Crystal DSA • TermoCamino Base DSA • Plasma 80:26	6016883	€ 721,00
Cornice Maiolica Madreperla 100				
	Fine mother-of-pearl majolica surround.	• Inserto 100 Crystal - Ventilato • Focolare 100 Bifacciale • Monoblocco 1000 - Piano Crystal	6016073	€ 765,00
Cornice Origami 50 Bianco Infinity				
	Surrounding in Infinity White uneven majolica finish.	• Inserto 50 Verticale Crystal BII - Ventilato	6016554	€ 721,00
Cornice Origami 80 Bianco Infinity				
	Surrounding in Infinity White uneven majolica finish.	• Inserto 80 PRS Crystal • Inserto 80 Crystal Evo 2.0 - Ventilato • Inserto 80 High Pressure • Plasma 80:26	6016884	€ 721,00
Cornice Steel 3 Lati				
	Surrounding in Anthracite painted steel finish.	• Inserto 70 - Ventilato • Inserto 70 H49 - Ventilato • Inserto 70 L - Ventilato	6016791	€ 217,00
Cornice Steel 70				
	Surrounding in Anthracite painted steel finish.	• Inserto 70 Crystal - Ventilato	6016798	€ 228,00

Frames

Model / Plus	Description	Available for:	Code	Price
Cornice Steel 80				
	Surrounding in Anthracite painted steel finish.	• Inserto 80 PRS Crystal • Inserto 80 Crystal Evo 2.0 - Ventilato • Inserto 80 High Pressure • Focolare 80 Bifacciale Hybrid (Only on bi-fold door) • Focolare 80 Idro Crystal DSA	6016899	€ 243,00
Cornice Steel 100				
	Surrounding in Anthracite painted steel finish.	• Inserto 100 Crystal - Ventilato • Focolare 100 Bifacciale	6016099	€ 273,00
Cornice Wendy 80*				
	Side elements in burgundy majolica, central elements in black glass.	• Inserto 80 Crystal Evo 2.0 - Ventilato • Inserto 80 High Pressure • Focolare 80 Bifacciale Hybrid (Only on vertical sliding door side) • Focolare 80 Idro Crystal DSA • Inserto 80 PRS Crystal • TermoCamino Base DSA • Plasma 80:26	6016890	€ 603,00
Cornice Wendy 100*				
	Side elements in burgundy majolica, central elements in black glass.	• Inserto 100 Crystal - Ventilato • Focolare 100 Bifacciale • Monoblocco 1000 - Piano Crystal	6016090	€ 663,00
Cornice Crystal 80*				
	Black glass surround	• Inserto 80 Crystal Evo 2.0 - Ventilato • Inserto 80 High Pressure • Focolare 80 Bifacciale Hybrid (Only on vertical sliding door side) • Focolare 80 Idro Crystal DSA • Inserto 80 PRS Crystal • TermoCamino Base DSA • Plasma 80:26	6016891	€ 568,00
Cornice Crystal 100*				
	Black glass surround	• Inserto 100 Crystal - Ventilato • Focolare 100 Bifacciale • Monoblocco 1000 - Piano Crystal	6016091	€ 603,00

Note: prices are valid just for the models available in stock

* While stocks last

Pellet stoves

Model / Plus	Technical data	Colour	Description	Code	Price		
Luisella Pellet stove in steel with remote control and weekly programmable thermostat A+							
	• Convection fan	kW-M	2,6 - 4,8	 BO	Bordeaux	1282700	€ 1.152,00
	• High temperature painted steel covering	kW-N	2,4 - 4,4				
	• Shell and tube heat exchanger	m³	126				
	• Weekly chronothermostat	%	91,9				
	• Safety pressure switch	Capienza kg	~ 10				
	• Cast iron brazier	kg/h	0,5 - 1,0	 NE	Black	1282701	€ 1.152,00
	• Door in cast iron	Ø mm	80				
	• LED Display	Dim. L-H-P	572x892x307				
	• 5-key remote control	kg	64				
	• Ash collection compartment						
Ketty Pellet stove in steel with weekly programmer (remote control optional) A+							
	• Convection fan	kW-M	2,8 - 7,3	 BO	Bordeaux	1280204	€ 1.281,00
	• Ash drawer	kW-N	2,4 - 6,3				
	• Extractable cast iron hearth	m³	180	 BI	White	1280206	€ 1.281,00
	• Over heating Thermostat	%	86,7				
	• Internal thermostat	Capienza kg	~ 15	 NE	Anthracite Black	1280207	€ 1.281,00
		kg/h	0,6 - 1,5				
		Ø mm	80	 PE	Parchment	1280205	€ 1.281,00
		Dim. L-H-P	456x884x507				
		kg	69				
Giusy Pellet stove in steel and majolica top cover with weekly programmable thermostat (remote control optional) A+							
	• Convection fan	kW-M	2,7 - 8,1	 BO	Bordeaux	1280500	€ 1.629,00
	• Ash drawer	kW-N	2,4 - 7,0				
	• Extractable cast iron hearth	m³	200	 BI	White	1280502	€ 1.629,00
	• Over heating Thermostat	%	86,3				
	• Internal thermostat	Capienza kg	~ 15	 NE	Anthracite Black	1280503	€ 1.629,00
	• Possibility of connecting rear or top flue gas exhaust	kg/h	0,6 - 1,7				
		Ø mm	80	 PE	Parchment	1280501	€ 1.629,00
		Dim. L-H-P	498x1022x504				
		kg	83				
Giusy Plus (With ducting system) Pellet stove in steel and majolica top cover with weekly programmable thermostat (remote control optional) A+							
	• Convection fan	kW-M	2,7 - 9,2	 BO	Bordeaux	1280550	€ 1.859,00
	• Ash drawer	kW-N	2,4 - 8,0				
	• Extractable cast iron hearth	m³	230				
	• Over heating Thermostat	%	86,7	 PE	Parchment	1280551	€ 1.859,00
	• Internal thermostat	Capienza kg	~15				
	• Possibility of connecting rear or top flue gas exhaust	kg/h	0,6 - 1,9				
	• Ducting system till 6 mt. thanks to 1 rear outlet Ø80 (thermostatable)	Ø mm	80	 BI	White	1280552	€ 1.859,00
		Dim. L-H-P	498x1022x504				
		kg	90				

Pellet stoves

Model / Plus	Technical data	Colour	Description	Code	Price			
Serafina Majolica pellet stove with weekly programmer (remote control optional) A+								
	• Convection fan	kW-M	2,7 - 8,1	 BO	Bordeaux	1280600	€ 1.893,00	
	• Ash drawer	kW-N	2,4 - 7,1					
	• Extractable cast iron hearth	m³	203					
	• Over heating Thermostat	%		87,3	 BI	White	1280602	€ 1.893,00
	• Internal thermostat	Capienza kg	~ 15					
	• Possibility of connecting rear or top flue gas exhaust	kg/h	0,6 - 1,7					
		Ø mm		80	 PE	Parchment	1280601	€ 1.893,00
		Dim. L-H-P		502x1037x530				
		kg		106				
Serafina Pietra Pellet stove in natural stone with weekly programmer (remote control optional) A+								
	• Convection fan	kW-M	2,7 - 8,1	 PT	Natural Stone	1280604	€ 2.019,00	
	• Ash drawer	kW-N	2,4 - 7,1					
	• Extractable cast iron hearth	m³	203					
	• Over heating Thermostat	%	87,3					
	• Internal thermostat	Capienza kg	~ 15					
	• Possibility of connecting rear or top flue gas exhaust	kg/h	0,6 - 1,7					
		Ø mm	80					
		Dim. L-H-P	502x1037x530					
		kg	116					
Marilena Plus (With ducting system) Ducted pellet stove in steel with new IR Touch Remote Control and weekly programmable thermostat A+								
	• Ducting system with dedicated motor (thermostatic, the ducting system can be totally excluded, maximal lenght to 8 meters)	kW-M	8,8**	 BO	Bordeaux	1283000	€ 2.595,00	
	• 3 possibility of exhaust fumes (top / back/ left)	kW-N	8,0**					
	• New IR Touch Remote Control with Backlight Display	m³	228**					
	• Pressure monitoring at two distinct points of the combustion chamber to provide greater safety »Differential System	%		>91,0**	 BI	White	1283001	€ 2.595,00
	• Front ventilation with Comfort function	Capienza kg	~ 15**					
	• Cast iron hearth, brazier and door	kg/h	119**					
		Ø mm		80 S/P/Lat. SX**	 NE	Anthracite Black	1283002	€ 2.595,00
		Dim. L-H-P		750x1075x352**				
		kg		119**				
Annabella (With ducting system) Ducted pellet stove in painted steel with remote control and weekly programmable thermostat A+								
	• Convection fan	kW-M	2,6 - 8,8	 BO	Bordeaux	1280100	€ 2.417,00	
	• Extractable cast iron hearth	kW-N	2,4 - 8,0					
	• Heat exchanger with manual cleaning system	m³	230					
	• Over heating Thermostat	%		90,8	 BI	White	1280101	€ 2.417,00
	• Internal thermostat	Capienza kg	~ 14					
	• Ducting system up to 6 mt. (thermostatable) and flue for fumes via 1 outlet Ø80 at the rear, on top or on the right side	kg/h	0,6 - 1,8					
		Ø mm		80	 NE	Anthracite Black	1280102	€ 2.417,00
		Dim. L-H-P		703x1078x320				
		kg		136				

Pellet stoves

Model / Plus	Technical data	Colour	Description	Code	Price		
Sibilla Pellet stove with special, black reflective outer glass, with remote control and weekly programmable thermostat A⁺							
	• High temperature painted steel covering and majolica top cover	kW-M	2,5 - 9,4	 BO	Bordeaux*	1280700	€ 2.276,00
	• Convection fan	kW-N	2,4 - 8,2				
	• Ash drawer	m³	235				
	• Vermiculite hearth	%	86,7				
	• Over heating Thermostat	Capienza kg	~ 15				
	• Internal thermostat	kg/h	0,5 - 1,9	 BI	White	1280701	€ 2.276,00
		Ø mm	80				
		Dim. L-H-P	457x993x573				
		kg	115				
	Sibilla Plus* (With ducting system) Pellet stove with special, black reflective outer glass, with remote control and weekly programmable thermostat A⁺						
	• High temperature painted steel covering and majolica top cover	kW-M	2,5 - 9,3	 BO	Bordeaux*	1280750	€ 2.407,00
	• Convection fan	kW-N	2,4 - 8,2				
	• Ash drawer	m³	235				
	• Vermiculite hearth	%	88				
	• Over heating Thermostat	Capienza kg	~ 15				
	• Internal thermostat	kg/h	0,5 - 1,9				
	• Ducting system up to 6 mt. thanks to 1 rear outlet Ø80 (thermostatable)	Ø mm	80				
		Dim. L-H-P	457x993x578				
		kg	120				
	Doroty Pellet stove in steel with remote control and weekly programmable thermostat. A⁺⁺						
	• Convection fan	kW-M	3,3 - 9,6	 NE	Anthracite Black	1279302	€ 2.824,00
	• Rear or central upper smoke discharge	kW-N	3,1 - 9,0				
	• Readily serviceable T fitting for easy cleaning	m³	258				
	• New management software for the ignition system	%	93,4				
	• New patented flow sensor (patent no. VI2010A000172)	Capienza kg	~ 19				
		kg/h	0,7 - 2,0	 BI	White	1279303	€ 2.824,00
		Ø mm	80				
		Dim. L-H-P	570x1210x568				
		kg	143				
Teodora Pellet stove in steel and majolica top cover with weekly programmable thermostat (remote control optional). A⁺							
	• Convection fan	kW-M	3,8 - 10	 NE	Anthracite Black	1275000	€ 2.937,00
	• Ash drawer	kW-N	3,5 - 8,7				
	• Extractable cast iron hearth	m³	250				
	• Heat exchanger with manual cleaning system	%	88,3				
	• Over heating Thermostat	Capienza kg	~15				
	• Internal thermostat	kg/h	0,8 - 2,0				
		Ø mm	80				
		Dim. L-H-P	610x739x644				
		kg	131				

Pellet stoves

Model / Plus	Technical data	Colour	Description	Code	Price		
Viviana Evo Pellet stove in steel and majolica top cover with weekly programmable thermostat (remote control optional) A⁺							
	• Convection fan	kW-M	3,3 - 11,4	 BO	Bordeaux	1275103	€ 2.040,00
	• Ash drawer	kW-N	3,0 - 10,2				
	• Extractable cast iron hearth	m³	292				
	• Heat exchanger with manual cleaning system	%	90,0	 PE	Parchment	1275104	€ 2.040,00
	• Over heating Thermostat	Capienza kg	~18				
	• Internal thermostat	kg/h	0,7 - 2,3				
		Ø mm	80	 NE	Anthracite Black	1275105	€ 2.040,00
		Dim. L-H-P	525x1054x579				
		kg	118				
Viviana Plus Evo (With ducting system) Ducted pellet stove in steel and top cover in majolica with weekly programmable thermostat (remote control optional) A⁺							
	• Convection fan	kW-M	3,3 - 11,4	 BO	Bordeaux	1275150	€ 2.293,00
	• Ash drawer	kW-N	3,0 - 10,3				
	• Extractable cast iron hearth	m³	295				
	• Heat exchanger with manual cleaning system	%	90,4	 PE	Parchment	1275151	€ 2.293,00
	• Over heating Thermostat	Capienza kg	~18				
	• Internal thermostat	kg/h	0,7 - 2,3				
	• Ducting system till 6 mt. thanks to 1 rear outlet Ø80 (thermostatable)	Ø mm	80	 NE	Anthracite Black	1275152	€ 2.293,00
		Dim. L-H-P	525x1054x603				
		kg	126				
Novella Evo Pellet stove in majolica with remote control and weekly programmable thermostat A⁺							
	• Convection fan	kW-M	3,3 - 11,4	 BO	Bordeaux	1280400	€ 2.401,00
	• Ash drawer	kW-N	3,0 - 10,2				
	• Extractable cast iron hearth	m³	292				
	• Heat exchanger with manual cleaning system	%	90,0				
	• Over heating Thermostat	Capienza kg	~ 18				
	• Internal thermostat	kg/h	0,7 - 2,3	 AV	Ivory	1280401	€ 2.401,00
		Ø mm	80				
		Dim. L-H-P	550x1060x583				
		kg	146				
Novella Plus Evo (With ducting system) Ducted pellet stove in majolica with remote control and weekly programmable thermostat A⁺							
	• Convection fan	kW-M	3,4 - 11,4	 BO	Bordeaux	1280450	€ 2.652,00
	• Ash drawer	kW-N	3,3 - 10,3				
	• Extractable cast iron hearth	m³	295				
	• Heat exchanger with manual cleaning system	%	90,4				
	• Over heating Thermostat	Capienza kg	~ 18				
	• Internal thermostat	kg/h	0,7 - 2,3	 AV	Ivory	1280451	€ 2.652,00
	• Ducting system till 8 mt. thanks to 1 rear outlet Ø80 (thermostatable)	Ø mm	80				
		Dim. L-H-P	550x1060x583				
		kg	152				

Pellet stoves

Model / Plus	Technical data	Colour	Description	Code	Price		
Irma Pellet stove in majolica with remote control and weekly programmable thermostat. A+							
	• Convection fan • Rear or <u>upper</u> smoke discharge • Readily serviceable T fitting for easy cleaning • New management software for the ignition system • New patented flow sensor (patent no. VI2010A000172)	kW-M	3,3 - 11,4	 BO	Bordeaux	1279200	€ 2.506,00
	kW-N	3,1 - 10,3					
	m³	295					
	%	90,1					
	Capienza kg	~ 15	 PE	Parchment	1279201	€ 2.506,00	
	kg/h	0,7 - 2,3					
	Ø mm	80					
	Dim. L-H-P	559x1100x576					
	kg	158					

Irma Pietra

Pellet stove in natural stone with remote control and weekly programmable thermostat.

A+



- Convection fan
- Rear or upper smoke discharge
- Readily serviceable T fitting for easy cleaning
- New management software for the ignition system
- New patented flow sensor (patent no. VI2010A000172)

kW-M	3,3 - 11,4
kW-N	3,1 - 10,3
m³	295
%	90,1
Capienza kg	~ 15
kg/h	0,7 - 2,3
Ø mm	80
Dim. L-H-P	559x1100x576
kg	174


PT

Natural Stone

1279202

€ 2.645,00

Souvenir Steel (With ducting system)

Ducted pellet stove in steel with remote control and weekly programmable thermostat.

A+



- Convection fan
- Extractable cast iron hearth
- Heat exchanger with manual cleaning system
- Over heating Thermostat
- Internal thermostat
- Ducting system till 6 mt. (thermostatable) and smoke outlet Ø80 on the back, on the top or on the right lateral

kW-M	4,0 - 11,4	 BO	Bordeaux	1275750	€ 2.885,00
kW-N	3,7 - 10,2				
m³	292				
%	90,0	 BI	White	1275752	€ 2.885,00
Capienza kg	~18				
kg/h	0,8 - 2,3				
Ø mm	80	 NE	Anthracite Black	1275753	€ 2.885,00
Dim. L-H-P	821x1122x296				
kg	139				

Souvenir Lux (With ducting system)

Ducted pellet stove in majolica with remote control and weekly programmable thermostat.

A+



- Convection fan
- Extractable cast iron hearth
- Heat exchanger with manual cleaning system
- Over heating Thermostat
- Internal thermostat
- Ducting system till 6 mt. (thermostatable) and smoke outlet Ø80 on the back, on the top or on the right lateral

kW-M	4,0 - 11,4	 BO	Bordeaux	1275700	€ 3.137,00
kW-N	3,7 - 10,2				
m³	292				
%	90,0	 BI	White	1275701	€ 3.137,00
Capienza kg	~18				
kg/h	0,8 - 2,3				
Ø mm	80	 TO	Tortora	1275705	€ 3.137,00
Dim. L-H-P	813x1162x297				
kg	147				

Pellet stoves

Model / Plus	Technical data	Colour	Description	Code	Price		
Souvenir Lux (With ducting system) Ducted pellet stove in natural stone with remote control and weekly programmable thermostat. A+							
	• Convection fan	kW-M	4,0 - 11,4	 PT	Natural Stone	1275703	€ 3.273,00
	• Extractable cast iron hearth	kW-N	3,7 - 10,2				
	• Heat exchanger with manual cleaning system	m³	292				
	• Over heating Thermostat	%	90,0				
	• Internal thermostat	Capienza kg	~18				
	• Ducting system till 6 mt. (thermostatable) and smoke outlet Ø80 on the back, on the top or on the right lateral	kg/h	0,8 - 2,3				
		Ø mm	80				
		Dim. L-H-P	813x1162x297				
		kg	154				
Lucia Pellet stove in majolica with new IR Touch Remote Control, new display Black Mask and weekly programmable thermostat. A+							
 New 2018	• Front ventilation: - dedicated motor for front ventilation with 400 m³/h - thermostatic - comfort function	kW-M	13,1**	 BO	Bordeaux	1283200	€ 3.070,00
	• New touch display with Wi-Fi connection integrated	kW-N	12**				
	• New IR Touch Remote Control with Backlight Display	m³	342**				
	• Pressure monitoring at two distinct points of the combustion chamber to provide greater safety »Differential System«	%	>91,3**	 BI	White	1283201	€ 3.070,00
	• Extractable cast iron hearth, brazier, door	Capienza kg	~27**				
		kg/h	2,73**				
		Ø mm	80 P**	 TO	Tortora	1283202	€ 3.070,00
		Dim. L-H-P	556x1097x598**				
		kg	180**				
Anastasia Plus (With ducting system) Ducted pellet stove with two motorised outlets. A+							
	• Majolica covering	kW-M	3,9 - 13,5	 BO	Bordeaux	1280850	€ 3.161,00
	• Convection fan	kW-N	3,6 - 12,0				
	• Ash drawer	m³	344				
	• Extractable cast iron hearth	%	89,0	 BI	White	1280851	€ 3.161,00
	• Heat exchanger with manual cleaning system	Capienza kg	~27				
	• Over heating Thermostat	kg/h	0,8 - 2,8				
	• Internal thermostat	Ø mm	80	 TO	Tortora	1280857	€ 3.161,00
	• Ducts of up to 8 metres long with 80 mm dual outlet at the back (thermostable)	Dim. L-H-P	560x1121x578				
	• 3 centrifugal motors	kg	185				

Pellet fireplace stoves

Model / Plus	Technical data	Colour	Description	Code	Price		
Falò 1XLP* Pellet fireplace stove in sand coloured ceramic and salmon coloured profiles with remote control and weekly programmable thermostat. A+							
	• Convection fan	kW-M	3,8 - 10,0		Sand Frame Salmon*	1271508	€ 5.758,00
	• Extractable cast iron hearth	kW-N	3,5 - 8,9				
	• Heat exchanger with manual cleaning system	m³	255				
	• Over heating Thermostat	%	87,9				
	• Internal thermostat	Capienza kg	~32				
		kg/h	0,7 - 2,0				
		Ø mm	80				
		Dim. L-H-P	956x1521x625				
		kg	302				
Falò 1CP* Pellet fireplace stove in yellow coloured ceramic and sand coloured bench with remote control and weekly programmable thermostat. A+							
	• Convection fan	kW-M	3,8 - 10,0		Yellow Bench Sand*	1271506	€ 6.501,00
	• Extractable cast iron hearth	kW-N	3,5 - 8,9				
	• Heat exchanger with manual cleaning system	m³	255				
	• Over heating Thermostat	%	87,9				
	• Internal thermostat	Capienza kg	~32				
		kg/h	0,7 - 2,0				
		Ø mm	80				
		Dim. L-H-P	1806x1521x800				
		kg	361				
Falò 2CP* Pellet fireplace stove in sand coloured ceramic and salmon coloured bench with remote control and weekly programmable thermostat. A+							
	• Convection fan	kW-M	3,8 - 10,0		Sand Bench Salmon*	1271507	€ 6.501,00
	• Extractable cast iron hearth	kW-N	3,5 - 8,9				
	• Heat exchanger with manual cleaning system	m³	255				
	• Over heating Thermostat	%	87,9				
	• Internal thermostat	Capienza kg	~32				
		kg/h	0,7 - 2,0				
		Ø mm	80				
		Dim. L-H-P	1806x1521x800				
		kg	361				

Pellet Inserts

Comfort Mini* Pellet insert with remote control and weekly programmable thermostat. A⁺					
 • Forced ventilation • Extractable cast iron hearth • Heat exchanger with manual cleaning system • Safety thermostat • Internal thermostat	kW-M	3,8 - 7,8		1271104	€ 2.732,00
	kW-N	3,5 - 6,8			
	m³	195			
	%	86,4			
	Capienza kg	~12			
	kg/h	0,7 - 1,6			
	Ø mm	80			
	Dim. L-H-P	700x550x453			
	kg	122			

* While stocks last

Pellet Inserts

Model / Plus		Technical data			Code	Price
Comfort P70 H49 Pellet insert with remote control and weekly programmable thermostat and touch screen console. A⁺						
	- Forced ventilation - Ash box - Extractable cast iron hearth - Heat exchanger with manual cleaning system - Safety thermostat - Internal thermostat	kW-M	3,2 - 8,0		1277200	€ 2.910,00
		kW-N	2,9 - 7,1			
		m³	205			
		%	90,0			
		Capienza kg	~10			
		kg/h	0,7 - 1,7			
		Ø mm	80			
		Dim. L-H-P	695x488x514			
		kg	131			
Comfort Maxi* Pellet insert with remote control and weekly programmable thermostat. A⁺						
	- Forced ventilation - Extractable cast iron hearth - Heat exchanger with manual cleaning system - Safety thermostat - Internal thermostat	kW-M	3,8 - 10,0		1270303	€ 2.933,00
		kW-N	3,4 - 8,9			
		m³	255			
		%	88,7			
		Capienza kg	~28			
		kg/h	0,8 - 2,0			
		Ø mm	80			
		Dim. L-H-P	640x616x716			
		kg	132			
Comfort P70 Pellet insert with remote control and weekly programmable thermostat and touch screen console. A⁺						
	- Forced ventilation - Ash box - Extractable cast iron hearth - Heat exchanger with manual cleaning system - Safety thermostat - Internal thermostat	kW-M	3,2 - 11,2		1277100	€ 3.021,00
		kW-N	2,9 - 9,7			
		m³	278			
		%	86,6			
		Capienza kg	~20			
		kg/h	0,7 - 2,4			
		Ø mm	80			
		Dim. L-H-P	695x547x617			
		kg	140			
Comfort Plus Crystal (With ducting system) Pellet insert with remote control and weekly programmable thermostat. A⁺						
	- Forced ventilation - Extractable cast iron hearth - Heat exchanger with manual cleaning system - Safety thermostat - Internal thermostat - Ducting system till 6 mt. thanks to 1 rear outlet Ø80 (thermostatable)	kW-M	3,3 - 12,1		1279800	€ 3.729,00
		kW-N	3,2 - 11,0			
		m³	315			
		%	90,8			
		Capienza kg	~16			
		kg/h	0,7 - 2,5			
		Ø mm	80			
		Dim. L-H-P	702x576x673			
		kg	170			

Pellet Thermo Stoves

Model / Plus	Technical data	Colour	Description	Code	Price		
The presence of the anti-condensation valve is an essential element for the factory warranty on the product							
Megan Idro Steel Pellet thermo stove. High temperature painted steel covering					A⁺		
	• Extractable ash drawer • Shell and tube heat exchanger with turbulators • Over heating Thermostat • Weekly chronothermostat • High-efficiency circulation pump • Expansion tank • New electronics with the possibility of connecting the system expansion card • Enhanced ignition system • Double glass (in ceramics inside and tempered outside)	kW-M	3,9 - 13,1	 SI	Silver	1281500	€ 3.245,00
	kW-N	3,6 - 12,0					
	kW-H₂O	3,0 - 10,8					
	m³	344					
	%	91,2					
	Capienza kg	~18	 AV	Ivory	1281501	€ 3.245,00	
	kg/h	0,8 - 2,8					
	Ø mm	80					
	Dim. L-H-P	475x1053x588					
	kg	166					
Duchessa Idro Steel Pellet thermo stove in steel and majolica top cover with remote control and weekly programmable thermostat.						A⁺	
	• Ash drawer • Heat exchanger with manual cleaning system • Over heating Thermostat • Circulation pump • Expansion tank • Safety valve 3 bar	kW-M	3,9 - 13,1	 BO	Bordeaux	1273662	€ 3.155,00
	kW-N	3,6 - 12,0					
	kW-H₂O	3,0 - 10,8					
	m³	344					
	%	91,2					
	Capienza kg	~20	 PE	Parchment	1273663	€ 3.155,00	
	kg/h	0,8 - 2,8					
	Ø mm	80					
	Dim. L-H-P	538x1034x543					
	kg	158					
		 NE	Anthracite Black	1273664	€ 3.155,00		
Virna Idro Pellet thermo stove in steel with remote control and weekly programmable thermostat						A⁺⁺	
	• High temperature painted steel covering • Shell and tube exchanger with turbulators and manual cleaning • Combustion chamber probe • Over heating Thermostat • Without ventilation • Weekly chronothermostat • Safety pressure switch • Cast iron brazier • Door in cast iron • LCD Display • Multi-function remote control • Thick heat exchanger tested at 6 bar	kW-M	4,5 - 15,6	 BI	White	1282601	€ 3.655,00
	kW-N	4,3 - 14,5					
	kW-H₂O	3,7 - 12,3					
	m³	415					
	%	93,0					
	Capienza kg	~22	 BO	Bordeaux	1282600	€ 3.655,00	
	kg/h	0,9 - 3,2					
	Ø mm	100					
	Dim. L-H-P	793x1105x384					
	kg	151					
Melinda Idro Steel 2.0						A⁺	
Ventilated pellet thermo stove in steel and majolica top cover with remote control and weekly programmable thermostat.							
	• Convection fan • Ash drawer • Heat exchanger with manual cleaning system • Over heating Thermostat • Internal thermostat • Circulation pump • Expansion tank • Safety valve 3 bar • Ceramics glow plug with the latest generation ignition system	kW-M	4,7 - 15,8	 BO	Bordeaux	1274058	€ 3.514,00
	kW-N	4,2 - 14,2					
	kW-H₂O	3,3 - 11,7					
	m³	407					
	%	90,0					
	Capienza kg	~26	 PE	Parchment	1274059	€ 3.514,00	
	kg/h	0,9 - 3,2					
	Ø mm	100					
	Dim. L-H-P	533x1157x586					
	kg	178					

Pellet Thermo Stoves

Model / Plus		Technical data		Colour	Description	Code	Price
Costanza Idro Pellet thermo stove in steel and majolica top cover with new IR Touch Remote Control, new display Black Mask and weekly programmable thermostat A+							
 New 2018	- Sealed combustion chamber and hermetic tank - Thermostatic and excludable front air ventilation - New touch Display - with Wi-Fi connection integrated - Pressure monitoring at two distinct points of the combustion chamber to provide greater safety »Differential System - PWM pump managed by the motherboard - Wide cast iron ash pan – 5 Liters	kW-M	5,2 - 18,5	 B0	Bordeaux	1282900	€ 3.715,00
		kW-N	4,8 - 17,0				
		kW-H₂O	2,7 - 12,0				
		m³	487				
		%	91,9				
		Capienza kg	~27	 BI	White	1282901	€ 3.715,00
		kg/h	1,1 - 3,8				
		Ø mm	100				
		Dim. L-H-P	495x1153x593				
		kg	165				

Iside Idro 2.0

Ventilated pellet thermo stove in majolica with remote control and weekly programmable thermostat.

 - Convection fan - Ash drawer - Heat exchanger with manual cleaning - Over heating Thermostat - Internal thermostat - Circulation pump - Expansion tank - Safety valve 3 bar	kW-M	5,8 - 20,7	 B0	Bordeaux	1274218	€ 4.288,00
	kW-N	5,3 - 19,0				
	kW-H₂O	4,0 - 15,5				
	m³	545	 PE	Parchment	1274219	€ 4.288,00
	%	91,6				
	Capienza kg	~35				
	kg/h	1,2 - 4,3	 BI	White	1274220	€ 4.288,00
	Ø mm	100				
	Dim. L-H-P	690x1196x628				
	kg	255				

Iside Idro 2.0

Ventilated pellet thermo stove in majolica with remote control and weekly programmable thermostat.

 - Convection fan - Ash drawer - Heat exchanger with manual cleaning - Over heating Thermostat - Internal thermostat - Circulation pump - Expansion tank - Safety valve 3 bar	kW-M	5,8 - 20,7	 AM	Amethyst	1274221	€ 4.288,00
	kW-N	5,3 - 19,0				
	kW-H₂O	4,0 - 15,5				
	m³	545				
	%	91,6				
	Capienza kg	~35				
	kg/h	1,2 - 4,3				
	Ø mm	100				
	Dim. L-H-P	690x1196x628				
	kg	255				

Raffaella Idro 2.0

Ventilated pellet thermo stove in steel with remote control and weekly programmable thermostat.

 - Frontal ventilation with deactivation possibility - Ash drawer - Heat exchanger with manual cleaning system - Over heating Thermostat - Internal thermostat - Circulation pump - Expansion tank - Safety valve 3 bar	kW-M	5,8 - 20,7	 B0	Bordeaux	1280303	€ 3.783,00
	kW-N	5,3 - 19,0				
	kW-H₂O	4,0 - 15,5				
	m³	545	 BI	White	1280305	€ 3.783,00
	%	91,6				
	Capienza kg	~ 35				
	kg/h	1,2 - 4,3	 GL	Grigio Luce	1280306	€ 3.783,00
	Ø mm	100				
	Dim. L-H-P	633x1176x624				
	kg	215				


HP Evo series boilers

Model / Plus	Technical data	Description	Code	Price		
TermoPellet HP 15 Evo A+						
	• 12 mm thick cast iron automatic cleaning brazier • Heat exchanger with manual cleaning system • New management software for the ignition system • Fire door with air cooling system for increased thermal efficiency and heat loss reduction • Ceramics glow plug with the latest generation ignition system	kW-M	4,9 - 16,7	Steel pellet boiler	1201901	€ 4.428,00
	kW-N	4,3 - 15,0				
	m³	430				
	%	90,2				
	Capienza kg	~ 43				
	kg/h	1,0 - 3,4				
	Ø mm	120				
	Dim. L-H-P	560x1307x733				
	kg	256				
TermoPellet HP 22 Evo A+						
	• 12 mm thick cast iron automatic cleaning brazier • Heat exchanger with manual cleaning system • Touch screen console with new graphic interface • New management software for the ignition system • Fire door with air cooling system for increased thermal efficiency and reduced heat loss • Ceramics glow plug with the latest generation ignition system	kW-M	7,3 - 24,5	Steel pellet boiler	1202001	€ 4.992,00
	kW-N	6,5 - 22,0				
	m³	630				
	%	90				
	Capienza kg	~ 60				
	kg/h	1,5 - 5,0				
	Ø mm	120				
	Dim. L-H-P	560x1307x823				
	kg	260				
TermoPellet HP 30 Evo A+						
	• 12 mm thick cast iron automatic cleaning brazier • Heat exchanger with automatic cleaning system • Touch screen console with new graphic interface • New management software for the ignition system • Fire door with air cooling system for increased thermal efficiency and reduced heat loss • Ceramics glow plug with the latest generation ignition system	kW-M	10,1 - 33,9	Steel pellet boiler	1202101	€ 6.070,00
	kW-N	9,1 - 31,3				
	m³	898				
	%	92,5				
	Capienza kg	~ 71				
	kg/h	2,1 - 7,0				
	Ø mm	120				
	Dim. L-H-P	780x1408x778				
	kg	335				

Ventilation accessories

Model / Plus	Description	Code	Price
Additional ring for ventilation			
 A. B.	Monoblock / air fitting ventilation additional Ø 150mm ring -A-	1130300	€ 16,10
	Air fitting ventilation additional Ø 120mm ring -A-	1130087	€ 16,10
	Air fitting Ø 100 mm ring. Available for: •Fedora •TermoRossella Plus EVO DSA •TermoNicoletta EVO DSA •TermoNathalie DSA -B-	6035501	€ 6,70


Ventilation outlet

 A. B. C. D.	White adjustable ventilation outlet Ø 120mm Dimensions 150x150mm -A-	6016000	€ 63,20
	White adjustable ventilation outlet Ø 150mm Dimensions 175x175mm -B-	6017000	€ 75,00
	White adjustable ventilation outlet Ø 150mm Dimensions 175x350mm. Combined forced air and natural convection outlet -C-	6017001	€ 97,40
	White ventilation outlet Dimensions 120x230mm -D-	6017002	€ 61,00

Pipe clamp

	Stainless steel pipe clamp Ø 60-175	6016002	€ 3,30
--	-------------------------------------	---------	--------


Crimped aluminium pipe

 A. B. C.	Crimped aluminium pipe L. 1500 Ø 100 mm -A-	6017003	€ 8,60
	Crimped aluminium pipe L. 1500 Ø 120 mm -B-	6016001	€ 14,00
	Crimped aluminium pipe L. 1500 Ø 150 mm -C-	6017004	€ 15,00

"Wind Air" Ventilation Kit

Model / Plus	Description	Code	Price
"Wind Air" Kit			
 New 2018	"Wind Air" kit for two air points, complete with accessories and excluding diffusers. Available for the inserts, fireplaces and monoblocks line products. The kit includes: • digital adjustment control unit • white wall support box for control unit • 2 motor units • 2 support brackets for motor units • 2 air fitting rings, Ø 120 mm • 2 Crimped aluminium pipes L. 1500 mm, Ø 120 mm • 4 Stainless steel pipe clamps Ø 60-175	6016030	€ 495,00

Shade diffuser for "Wind Air" system / Wave diffuser for "Wind Air" system

 A. B.	Shade diffuser for fixed setting "Wind Air" system. Glossy white (1 piece) -A-	6016005	€ 30,00
	Wave diffuser for fixed setting "Wind Air" system. Embossed white (1 piece) -B-	6016025	€ 50,00

Ventilation kit


Model / Plus	Description	Code	Price
Ventilation kit for Focolare 70			
	Ventilation kit for Focolare 70 / Focolare 70 Evo, fan flow rate with free outlet 650 mc/h	6017792	€ 466,00
Ventilation kit for Focolare 60			
	Ventilation kit for Focolare 60, fan flow rate with free outlet 650 mc/h	6017791	€ 466,00
Ventilation kit Monoblocco			
	Ventilation kit for Monoblocco, fan flow rate with free outlet 650 mc/h. Available for: • Monoblocco 750 • Monoblocco 900 • Monoblocco 1000 • Monoblocco 1300 • Monoblocco Ghisa 750 • Monoblocco Ironker 750 • Monoblocco 800 Angolo	6018090	€ 466,00
Ventilation kit for Insert / Focolare			
	Ventilation kit, fan flow rate with free outlet 400 mc/h. Available for: • Inserto 60 • Inserto 70 ghisa • Inserto 70 H49 • Inserto 70 L* • Inserto 70 Crystal • Inserto 70 Crystal 3 Lati • Inserto 70 Crystal Angolo • Inserto 80 PRS Crystal • Inserto 80 Crystal Evo • Inserto 100 Crystal • Focolare 80 bif. Hybrid • Focolare 100 bifacciale • Focolare 100 bif. Hybrid	1318000	€ 342,00

* N.B. For 70 L Insert additional purchase of 2 rings Ø 120mm (see code item 1130087) is required


Insert & hearth accessories

Model / Plus	Description	Code	Price
Insert surroundings kit			
	Insert 60 surroundings kit	6016690	€ 85,70
	Insert 70 round-70 flat-70 prismatic - 70L surroundings kit	6016790	€ 85,70
	Insert 70 H49 surroundings kit	6016799	€ 85,70
Hearth optional guard			
	Focolare 60 optional guard	6017780	€ 132,00
	Focolare 70 / Focolare 70 Evo optional guard	6017790	€ 132,00

Insert & hearth accessories

Model / Plus	Description	Code	Price
Pedestal kit			
 cm 45	Pedestal kit. Available for: •Inserto 60-Ventilato •Inserto 70-Ventilato •Inserto 70-Ventilato Prismatico •Inserto 70-Ventilato Tondo •Inserto 70 H49-Ventilato •Inserto 70 L-Ventilato •Inserto 50 Crystal •Inserto 50 Verticale Crystal •Inserto 70 Crystal 3 lati •Inserto 70 Crystal Angolo •Inserto 70 Crystal-Ventilato •Inserto 80 Crystal Evo 2.0 •Inserto 80 High Pressure •Inserto 100 Crystal •Inserto 80 PRS Crystal	6016792	€ 197,00
External air optional kit			
	External air optional kit. Available for: •Inserto 50 Crystal •Inserto 50 Verticale Crystal	6016040	€ 14,00
	External air optional kit. Available for: •Inserto 70 Crystal •Inserto 80 PRS Crystal •Inserto 80 Crystal Evo •Inserto 100 Crystal	6016041	€ 14,00


Cooking accessories

Model / Plus	Description	Code	Price
Inox grid			
	Double inox grid. Available for: •America •Cucinotta	7026110	€ 93,10
Rotisserie			
	Rotisserie 60cm with electric motor. Available for: •TermoCamino 650 •Termocamino WF25 X DSA •TermoCamino WF PLUS DSA •TermoCamino 800	6012010	€ 154,00
Oven grid			
	Inox Oven grid. Available for: •Rossella Forno •Nicoletta Forno •Romantica 4,5 •Sovrana •Rosa •TermoRossella Forno •TermoNicoletta Forno •TermoSovrana •TermoRosa •Sovrana Easy •TermoRosa Ready DSA •Family 4,5	1024088	€ 23,50
	Chromed Oven grid. Available for: •Rosetta •Rosetta Sinistra •Rosa Reverse •Rosa Sinistra Reverse	1025082	€ 22,50
Kit tank inox			
	Kit tank inox 3,5. Available for: •Romantica 3,5 •Rosetta •Rosetta Sinistra	1013900	€ 41,80
	Kit tank inox 4,5. Available for: •Romantica 4,5 •Rosa •Sovrana •Sovrana Easy •TermoRosa •TermoSovrana •Rosa Reverse •TermoRosa Ready DSA •Rosa Sinistra Reverse •Family 4,5	1014900	€ 41,80

Cooking accessories

Model / Plus	Description	Code	Price
Rosa high-adjustable grate			
	High-adjustable grate for the cast iron hearth of Rosa	1035402	€ 71,70
	High-adjustable grate for the cast iron hearth of Rosetta - Rosetta Sinistra	1033402	€ 60,00
Plates with enameled cast iron top plates			
	Plates with enameled cast iron top plates. Available for: •Suprema •TermoSuprema	7015784	€ 348,00
Sovrana Easy cover kit			
	Cover kit. Available for: • Sovrana Easy • Family 4,5	7014515	€ 58,90
Flanks for side smoke outlet installation			
	Vicenza Anthracite - Right flank with hole	7026198	€ 85,70
	Vicenza Anthracite - Left flank with hole	7026199	€ 85,70
	Vicenza Inox - Right flank with hole	7026111	€ 86,70
	Vicenza Inox - Left flank with hole	7026112	€ 86,70
	Verona Anthracite - Right flank with hole	7026196	€ 85,70
	Verona Anthracite - Left flank with hole	7026197	€ 85,70
	Verona Inox - Right flank with hole	7026250	€ 86,70
	Verona Inox - Left flank with hole	7026262	€ 86,70
	Padova Anthracite - Right flank with hole	7026381	€ 85,70
	Padova Inox - Right flank with hole	7026314	€ 86,70

Cooking accessories

Model / Plus	Description	Code	Price
Top 4cm height			
 4 cm	Vicenza - Top 4 cm Inox	7046102	€ 207,00
 4 cm	Verona - Top 4 cm Inox	7046201	€ 276,00
 4 cm	Padova - Top 4 cm Inox	7046302	€ 297,00

Ceramic glass top kit

	Ceramic glass top kit for the Vicenza kitchen	7016130	€ 248,00
	Ceramic glass top kit for the Padova kitchen	7016330	€ 353,00
	Ceramic glass top kit for the Verona-Rosa L kitchen	7016230	€ 322,00


Wood accessories

Model / Plus	Description	Code	Price
Anthracite spray can			
	Anthracite spray can 600° Senotherm 400 ml.	1028032	€ 33,20
Chimney Sweep			
	Display case containing 12 Pal Box Chimney Sweep	5011112	€ 580,00
Platform			
 A.	Platform 1000x900x2.5 mm -A-	1018262	€ 94,30
	Platform 900x800x2.5 mm -A-	1018263	€ 91,00
	Platform 700x600x2.5 mm -A-	1018264	€ 83,60
 B.	Crystal black platform 990x900x8 mm -B-	7118162	€ 116,00
	Crystal black platform 900x800x8 mm -B-	7118163	€ 104,00
	Crystal black platform 700x600x8 mm -B-	7118164	€ 97,40
Platform			
	Crystal black platform ø 1000x8 mm	7118154	€ 146,00

Flue accessories

Model / Plus	Description	Code	Price
Damper			
	Damper ø 200 mm	1018670	€ 102,00
	Damper ø 250 mm	1018680	€ 109,00
Anti condensation joint			
	Anti condensation joint 2 mm ø 120 mm	1018512	€ 19,30
	Anti condensation joint 2 mm ø 130 mm	1018513	€ 19,30
	Anti condensation joint 2 mm ø 150 mm	1018515	€ 22,50
	Anti condensation joint 2 mm ø 160 mm	1018516	€ 22,50
	Anti condensation joint 2 mm ø 200 mm	1018520	€ 22,50
	Anti condensation joint 2 mm ø 250 mm	1018525	€ 22,50
Tube			
	Tube ø 160 mm L. 1000 mm thickness 1,2 mm	1018610	€ 51,50
	Tube ø 160 mm L. 500 mm thickness 1,2 mm	1018605	€ 33,20
	Tube ø 160 mm L. 250 mm thickness 1,2 mm	1018625	€ 23,50
Telescopic tube			
	Telescopic tube ø 160 mm	1018640	€ 51,50
Curve			
	Curve 90° ø 160 mm Thickness 1,2 mm	1018630	€ 46,10
Rosette			
	Rosette ø 160 mm	1018650	€ 28,90
Ring			
	Ring ø 160 mm	1018660	€ 19,30

Thermo Product Accessories

Model / Plus	Description	Code	Price
Sanitary water KIT for ThermoProducts*			
	Sanitary water KIT for ThermoProducts* (IMPORTANT: check the appliance power)	6012012	€ 350,00
Water separator kit 2.0			
	Water separator kit 2.0 (not compatible with Boiler LNK40) IMPORTANT: it is recommended to have a design engineer assess the correct sizing in advance	6012027	€ 898,00
Controller for thermoproducts			
	Controller for thermoproducts	6012022	€ 228,00
Authomatic lateral vent valve			
	Authomatic lateral vent valve	6012002	€ 8,60

Thermo Product Accessories

Model / Plus	Description	Code	Price
Membrane Safety			
	Membrane Safety Valve, 1,5 bar	6012003	€ 16,10
	Membrane Safety Valve, 3,0 bar	6012023	€ 16,10
Heat sump ½"			
	Heat sump ½"	6012004	€ 8,60
20 Plate exchanger			
	20 Plate exchanger	6012006	€ 119,00
30 Plate Exchanger			
	30 Plate Exchanger	6012007	€ 224,00
Three-way valve			
	Three-way valve	6012008	€ 146,00

Thermo Product Accessories

Model / Plus	Description	Code	Price
Flow sensor			
	Flow sensor	6012009	€ 81,40
Anticondensation mixing valve			
	55°C, 1" Anticondensation mixing valve for boiler up to 150 kW	7118402	€ 214,00
Anticondensation mixing valve 60°			
	60°C, 1" Anticondensation mixing valve for boiler up to 150 kW Available for: LNK Boilers series	7118404	€ 214,00
Automatic DSA temperature relief valve			
	Automatic DSA temperature relief valve, ¾" female nut connection	7118403	€ 225,00
Surface box			
	Surface box for controller for termoproducts	6012024	€ 10,70

Storage Tank

PRICE LIST PELLET

Model / Plus	Description	Code	Price
Automatic loading pellet stocking tank			
	Secondary 300 Kg tank in burgundy steel. Available for: HP15 Evo - HP22 Evo - HP30 Evo Dimensions: L-H-P 1190x2050x653 mm	9208236	€ 2.106,00

Stove accessories, Thermo products, Inserts, Boilers

Model / Plus	Description	Code	Price
Comfort insert support kit			
	Support kit: Comfort Maxi, Comfort Plus Crystal (LxHxP: 560x 373-463-563 x565)	9278305	€ 248,00
	Support kit: Comfort Mini - Comfort P70 - Comfort P70 H49 (LxHxP: 644x 373-463-563 x400)	9278306	€ 248,00
	Support kit: Comfort Idro L80 (LxHxP: 760x 373-463-563 x560)	9278405	€ 297,00

Front drawer for Comfort Inserts


	Front pellet loading box: Comfort Plus Crystal	9278262	€ 196,00
	Front pellet loading box: Comfort Mini, Comfort Maxi	9278279	€ 196,00
	Comfort P70 H49 front pellet loading box	9278322	€ 265,00
	Comfort P70 front pellet loading box	9278323	€ 196,00
	Comfort Idro L80 front pellet loading box L=200	9278418	€ 283,00
	Comfort Idro L80 front pellet loading box L=300	9278423	€ 378,00

Upper drawer for Inserts Comfort

	Upper drawer for pellet loading Comfort Idro L80	9278404	€ 496,00
---	---	---------	----------

GSM Module (Check product compatibility on the website www.extraflame.it/support)


A.  B. 	GSM Module for remote control	- A -	9278374	€ 438,00
	GSM Antenna Kit (optional)	- B -	9278295	€ 73,40


GSM Module diagram

Stove accessories, Thermo products, Inserts, Boilers

Model / Plus	Description	Code	Price
Remote WiFi Module (Check product compatibility on the website www.extraflame.it/support)			
	Remote control module via WiFi system (The device uses the Internet of the room where it is positioned)	9278375	€ 232,00

Remote WiFi Module diagram

**Kit Wireless thermostat** (Check product compatibility on the website www.extraflame.it/support)

		Latest generation wireless room thermostat kit (A) + receiver (B)	9278362	€ 232,00
--	--	--	---------	----------

ATTENTION: the Wireless Thermostat Kit is dedicated to channelled or ventilated pellet stoves. Using it for thermo products or boilers will only work as a Remote display. For more information contact Customer Service.

Wireless thermostat (Check product compatibility on the website www.extraflame.it/support)

	Last generation wireless ambient thermostat	9278377	€ 159,00
---	---	---------	----------

Remote control

	Remote control. Functions: on/off/room temperature adjustment/power adjustment.	9278366	€ 29,20
---	--	---------	---------

Stove accessories, Thermo products, Inserts, Boilers

Model / Plus	Description	Code	Price
System expansion motherboard kit (Check product compatibility on the website www.extraflame.it/support)			
	System expansion motherboard kit	9278286	€ 150,00
Anti condensation mixing valve			
	Anti-condensation mixer valve for 55°C recirculation circuit 1" connection	9208213	€ 214,00
1P Hydraulic system separator kit			
	Hydraulic system separator kit 1P. High-efficiency pump. (Plate Exchanger, Circulator, electric board, temperature sensors, Cover-box)	9278386	€ 963,00
Falò fume outlet kit			
	Falò fume outlet kit	9278220	€ 248,00
Ventilation Accessory			
	White adjustable ventilation outlet Ø 80 mm Dim. 150x150 mm	9278282	€ 61,20

Terms and conditions of sale



1 The contractual relationship resulting from acceptance of each individual order is governed by the standards described in these general terms of sale. The purchaser waives any other general purchasing conditions, unless otherwise specifically accepted in writing by LA NORDICA S.p.A. / EXTRAFLAME S.p.A.

2 The purchase order is irrevocable and binding for the purchaser, and shall be considered accepted when the purchaser receives formal confirmation thereof from LA NORDICA S.p.A. / EXTRAFLAME S.p.A.. Once confirmed, the purchase order may not be cancelled without the prior written consent of LA NORDICA S.p.A. / EXTRAFLAME S.p.A.. In this event, LA NORDICA S.p.A. / EXTRAFLAME S.p.A. shall have the right to a suitable indemnity for the expenses and costs sustained in beginning to fulfill the order.

3 The prices indicated in the sale catalogues/price lists are purely indicative, and may change during the validity period of the catalogues/price lists themselves due to increased production costs. Once confirmed according to the procedures set forth in art. 2, the sale prices indicated in the order shall become binding, except in the event of unforeseen increases in production costs beyond LA NORDICA S.p.A. / EXTRAFLAME S.p.A.'s control. In this event LA NORDICA S.p.A. / EXTRAFLAME S.p.A. shall inform the purchaser of the price increase, indicating the cause thereof.

4 Delivery terms are purely indicative unless specifically agreed otherwise. Should the manufacturer be unable to fulfill the order due to circumstances of force majeure, irregular supply of raw materials or other unforeseeable circumstances, the terms of delivery shall be considered extended, and the new terms will be established by mutual agreement between the parties.

5 Products will be delivered to the purchaser ex-works (EXW) from the LA NORDICA S.p.A. / EXTRAFLAME S.p.A. facilities in Montecchio Precalcino (Vicenza, Italy) (Incoterms® 2010). Products will be sold under retention of title and remain property of LA NORDICA S.p.A. / EXTRAFLAME S.p.A. until the full-agreed price has been paid.

6 The purchaser undertakes to verify the quantity and state of the shipped packages in confrontation with the carrier or forwarding agent. Any complaints regarding quantity discrepancies or damaged packages must be notified to the carrier and according to the procedure agreed with the carrier itself. No Products may be returned unless previously agreed upon with LA NORDICA S.p.A. / EXTRAFLAME S.p.A.. In the case of authorized returns, the Products will have to be returned via free port and packing free of charge and shall be credited at the purchase price with a deduction from 10% to 30% for inspection and repackaging costs. In any case return of items which are not included in the price list currently in force at the time of the request will not be taken into consideration.

7 LA NORDICA S.p.A. / EXTRAFLAME S.p.A. does hereby represent and warrant that the Products shall comply with the technical specifications available in LA NORDICA S.p.A. / EXTRAFLAME S.p.A.'s catalogues and literature in general. The products are guaranteed for the period of one year from the date of purchase. In order to enforce the guarantee, purchaser must report the non-conformity in writing to the vendor and exhibit the purchase receipt. In the event of non-conformity, the consumer may request LA NORDICA S.p.A. / EXTRAFLAME S.p.A. to repair or to replace the defective products. LA NORDICA S.p.A. / EXTRAFLAME S.p.A. guarantees to repair the defective products free of charge. The guarantee shall not operate in the event of improper use of the products. Equally, non-conformities due to negligent or careless use, failure to comply with the instructions for operation of the equipment, installation in places that require specific safety standard, installation or maintenance performed by unauthorized personnel, damage caused during transport or by circumstances unrelated to manufacturing defects and/or non-conformity of the products are not covered by the present guarantee. LA NORDICA S.p.A. / EXTRAFLAME S.p.A. declines all liability for damage or injury which may be caused directly or indirectly to persons, property and domestic animals as a result of failure to comply with the instructions given in LA NORDICA S.p.A. / EXTRAFLAME S.p.A.'s catalogues and literature, in particular those related to installation, use and maintenance of the product. This warranty is the only warranty given by LA NORDICA S.p.A. / EXTRAFLAME S.p.A.. Consequently, except in case it is proven LA NORDICA S.p.A. / EXTRAFLAME S.p.A.'s gross negligence, LA NORDICA S.p.A. / EXTRAFLAME S.p.A. shall not be liable for any direct or indirect damage or loss of profit due to the misuse, the inability to use, or the incorporation of the Products in other products.

8 The Products must be installed and/or used in compliance with their technical specifications and instructions provided by LA NORDICA S.p.A. / EXTRAFLAME S.p.A.; they must also be installed and/or used in observance of the regulations and requirements governing the installation and/or use of electrical material in force in the country where the products are installed and/or used. Purchaser expressly relieves LA NORDICA S.p.A. / EXTRAFLAME S.p.A. of any liability in case the ordered products do not comply with the rules and/or standard and/or technical specifications in force in the country where they are delivered or installed in. Ordering the products Purchaser expressly declares that he has carried out all the necessary investigations regarding the compatibility of standards in force in the country for which they are purchased.

9 Payments must be made according to the procedures notified by LA NORDICA S.p.A. / EXTRAFLAME S.p.A.. Failure to pay invoices, in full or in part, beyond the established due date shall immediately lead to the application of interest at the rate as per D.Lgs. 9th October 2002, n. 231, in addition to any bank charges and commissions. Failure to pay for any reason shall authorize LA NORDICA S.p.A. / EXTRAFLAME S.p.A. to suspend additional shipments of material.

10 Under the terms of art. 10 of the law 196/2003, the purchaser is hereby informed that all personal information shall be entered into the LA NORDICA S.p.A. / EXTRAFLAME S.p.A. database, as a necessary aspect of correctly upholding the contractual relationship and compliance with certain legal requirements, as well as for statistical, commercial, marketing, promotional purposes, credit protection, management and transfer thereof. The personal information of the purchaser is processed by automated means and by authorized persons, with the use of security measures aimed at ensuring confidentiality. The personal information of the purchaser may be notified to public agencies, other firms within the group, credit retrieval firms or firms, consortia or associations for commercial, market research, and marketing purposes. LA NORDICA S.p.A. / EXTRAFLAME S.p.A. is the owner of processed data, whom the purchaser may contact to exercise his rights as set forth in article 13 of the law cited above. To this end the purchaser is hereby informed that he may access his own personal information at any time, and request that it be updated, corrected, or deleted and/or refuse to allow processing thereof.

11 The rights and obligations of the Parties are governed by Italian law, and the Court of Padova has non-exclusive jurisdiction over any controversy that may arise in relation to the sale of the products. The purchaser irrevocably accepts the jurisdiction of the Court of Vicenza should LA NORDICA S.p.A. / EXTRAFLAME S.p.A. file a suit with said court.

Validity of price list: 01/01/2018 - 30/09/2018

Note

Due to printing reasons the reproduction of colours has to be considered only indicative.

The fuel quantity (weight) inside the tank and the hour consumption can change depending on the type of pellet which is used.

All the figures were measured using approved pellets in compliance with EN ISO 17225-2.

Facing tones and characteristics are subject to slight variations because they are natural products.

The manufactures reserve the right to change the products without any previous notice.

The La Nordica-Extraflame products can be covered by industrial property rights (such as patents, designs and trademarks) owned by La Nordica-Extraflame exclusively. It is strictly forbidden to violate these rights as for removing, cancelling or corrupting the rademarks impressed on the products and impressing others.


m³ that can be heated: the data is indicative. For the generator to be sized correctly, contact a skilled technician/designer.

Interim document and subject to changes

Legend

kW-M: Global thermal power (kW) - **kW-N:** Nominal thermal power (kW) - **kW-H₂O:** Power given back to water (kW) - **m³:** Heatable m³ (30 kcal/h x m³) - **%:** Wirkungsgrad (%) - **Capienza kg:** Feed box Total capacity (kg) - **kg/h:** Hourly consumption (kg/h) - **Ø mm:** Smoke outlet diameter (mm) S=Top, P=Rear - **Dim. L-H-P:** Dimensions (mm) - **kg:** Net weight (kg).

The energy label for the biomass products



From 1st January 2018 the Energy Labelling Regulation comes into force also for all the biomass heating appliances, both roomheater appliances and appliances designed to heat the water for central heating and domestic hot water.

This directive, in accordance with the regulations of the European Union, will assign an Energy Efficiency Class (from G up to A++) providing the buyers with information about the consumption and the efficiency



Warms up your life.

La Nordica S.p.A.
Via Summano, 104
36030 Montecchio Precalcino - Vicenza - Italy
Tel. +39 0445 804000
Fax +39 0445 804040
export@lanordica.com
www.lanordica-extraflame.com

Extraflame S.p.A.
Via dell'Artigianato, 12
36030 Montecchio Precalcino - Vicenza - Italy
Tel. +39 0445 865911
Fax +39 0445 865912
export@extraflame.it
www.lanordica-extraflame.com